

AUTHOR INDEX: VOLUME 62

- Aarynen M, 35J
 Abedal-Berini L, 623
 Abe H, 1224
 Aber VR, 635
 Abernethy D, 103G
 Ablinader EG, 988, 1139
 Abraham AS, 177
 Aburatani H, 60B
 Acampora D, 534
 Aglira BA, 435
 Akers MS, 923
 Alberti E, 285
 Alberts AW, 10J, 16J
 Alboliras ET, 435
 Alderman EL, 1093
 Alegria E, 1103
 Alexander RW, 1268
 al Fagih MR, 264
 al Faraidi Y, 264
 al Kasab S, 264
 Allen HD, 824
 Allie A, 439
 Alpert JS, 310
 Alpert MA, 126
 Altman DG, 755
 al Zalbag M, 264
 Ambos HD, 556
 Ambrose J, 472
 Ambrose JA, 660
 Amsterdam EA, 1I, 24I
 Anderson AJ, 214
 Anderson DW, 658, 789
 Anderson JL, 1D, 62D, 538
 Anderson KM, 147
 Anderson RA, 989
 Anderson RH, 1136
 Andrén L, 114G
 Andreotti F, 635
 Andresen D, 966
 Andrews J, 1142
 Andrews ML, 679
 Anselmo EG, 352
 Arena VC, 1186
 Armistead CW Jr, 419
 Armstrong MA, 971
 Armstrong PW, 1024, 1164
 Armstrong RB, 9E
 Arnold LW, 327
 Aronow WS, 336, 644, 1124, 1295
 Arqué JM, 159
 Arsenian MA, 989
 Arvan S, 197, 1153
 Ash KO, 703
 Ashizawa A, 1224
 Ashmeg A, 264
 Atkins DL, 1197
 Atkinson J, 276
 Autran B, 1311
 Avolio RM, 25K
 Ayers C, 1062
 Badhwar K, 873, 959
 Bagger JP, 686
 Bai JX, 794
 Baim DS, 941
 Baker MT, 209
 Baker PB, 341
 Balkin J, 841, 1153
 Ball SP, 310
 Ballester-Rodés M, 623
 Bamberg W, 935
 Ben T, 202
 Banai S, 661
 Banhardt U, 82E
 Bär FW, 140
 Bär FWHM, 387
 Barber G, 435
 Barboriak JJ, 214
 Barbour DJ, 1134
 Bardy GH, 718
 Barlow GK, 703
 Barnhart JW, 52B
 Barrie M, 1142
 Barry WH, 538
 Bashore TM, 381
 Bass AS, 37C
 Bass EB, 1186
 Bassenge E, 40E
 Beard JT II, 486
 Beaver TR, 165
 Behar JV, 322, 512
 Behroz A, 337
 Beinborn W, 935
 Belhassen B, 835, 1152
 Bellefleur J-P, 598
 Bellinger RL, 1314
 Bombom MCB, 977
 Benditt DG, 901
 Benhorin J, 679
 Bennett D, 995
 Bennett DH, 315
 Benson DW Jr, 225, 566
 Benson LN, 431, 1089
 Bentley MD, 59G
 Beppu S, 641
 Berné-Roqueta L, 623
 Berns E, 44D
 Bernstein AD, 71
 Berré J, 419
 Berry PH, 16J
 Betocchi S, 523
 Betriu A, 1153
 Beukema WP, 1146
 Bhargava V, 131
 Bierman FZ, 121
 Bilheimer DW, 1J
 Billingham ME, 325
 Binkley PF, 94, 341
 Biro GP, 30C
 Bitar J, 1318
 Black AJR, 809
 Black WH, 1208
 Blake J, 246
 Blakley M, 1142
 Blank F, 476
 Block PC, 760
 Blomqvist CG, 449
 Bloom S, 658
 Blount SG, 165
 Bobbio M, 313, 675, 896
 Boden WE, 1000
 Bokelman DL, 16J
 Boleza E, 493
 Bonchek LI, 1153
 Bonnier HJRM, 25
 Bonow RO, 988
 Borer J, 179
 Borer JS, 246, 257
 Borggreffe M, 1292
 Borow KM, 46C
 Borquayre S, 27B
 Bortolotti U, 1130, 1132
 Bottner RK, 1038
 Boucher CA, 799
 Bourland M, 1299
 Braat SH, 140
 Brackett DJ, 1176
 Brand DA, 534
 Braun S, 551
 Braunwald E, 179, 860
 Breisblatt WM, 1005
 Brickman AE, 476
 Brigden GS, 239
 Bristow JD, 606
 Brockway B, 493
 Brodde O-E, 24C
 Brooks NH, 315
 Brown M, 832
 Brown RT, 1310
 Brugada P, 10D, 387, 454
 Brunner H, 63E
 Brusca A, 675
 Bruschke AVG, 142
 Brush JE Jr, 534
 Brymer JF, 358
 Bublén RS, 741
 Buchbinder NA, 270
 Buckley JC, 449
 Butler NP, 31A, 49E
 Burkart F, 99E
 Burns MJ, 1005
 Bush D, 1202
 Butman S, 472
 Buxton AE, 528
 Byers SL, 1180
 Byrd BF III, 486
 Byrne A, 962
 Cabin HS, 534
 Cain ME, 556
 Calabresi L, 73B
 Call G, 1
 Camerini F, 285
 Camm AJ, 906, 1319
 Camm J, 995
 Campanile G, 147
 Campbell CA, 513
 Campese VM, 85G
 Cannon DS, 83
 Cannon RO III, 306
 Cannon SR, 113
 Cantin B, 892
 Cantraine F, 419
 Capone RJ, 1000
 Caralis DG, 474
 Caralpe-Riera JM, 623
 Caramelo C, 47G
 Cardo M, 159
 Carew TE, 6B
 Carleen E, 192
 Carleen ED, 679
 Carlier E, 419
 Carlson LA, 37B
 Carney RM, 714
 Caro R, 493
 Carpenter J, 94
 Carrió-Gasset I, 623
 Carroll JD, 46C
 Carruthers SG, 562
 Caruana MP, 239, 755
 Casale PN, 799
 Cashman PMM, 755
 Castellanos A, 653, 833
 Castelló R, 1103
 Cauchemez B, 220
 Cavallaro C, 229
 Cercek B, 20
 Chaitman BR, 1155, 1180
 Chambers J, 873
 Chan K-L, 1142
 Chance B, 1234
 Chandraratna PAN, 882
 Chaney RH, 1058
 Charbonnier F, 1048
 Charru A, 1072
 Chassat C, 723
 Chatellier G, 1072
 Chatterjee K, 46A, 57C, 1228
 Chavez AM, 253
 Cheltilin M, 606
 Chen Y, 399
 Cheng TO, 512, 680
 Cheng WD, 52B
 Cherchi A, 827
 Chiariello M, 523
 Child JS, 512
 Chin AJ, 435
 Chin B, 1068
 Chino M, 484
 Chisholm RJ, 1024, 1164
 Chisolm GM III, 20B
 Chouty F, 35D, 220
 Christiansen JC, 147
 Christlieb AR, 665
 Ciavarella M, 312
 Cigalotto A, 285
 Cleland JGF, 55A
 Clements SD, 234
 Cobb FR, 100
 Cobbs BW Jr, 363
 Cody R, 136
 Cohen A, 399
 Cohen AI, 276
 Cohen EJ, 971
 Cohen I, 896
 Cohen M, 646
 Cohn JN, 1A, 25A
 Colan S, 1256
 Colan SD, 778
 Colardyn FA, 68C
 Condorelli G, 745
 Condorelli M, 745
 Conway MA, 53E
 Coombs B, 172
 Cooper B, 843
 Coplan NL, 334
 Coppola E, 670
 Corbett JR, 923
 Cornoni-Huntley J, 59
 Corrao JM, 310
 Cortellessa MC, 670
 Corvol P, 1072
 Cosgrove DM III, 253
 Cosio FG, 821
 Coughlin BJ, 25K
 Coumel P, 35D, 220
 Coussaert E, 419
 Crawford MH, 113, 372
 Crevasse L, 22I
 Cribler A, 598
 Crijns HJ, 1303
 Cripps T, 995
 Cunningham M, 377
 Cunnion RE, 789
 d'Agay MF, 1311
 Dagenals GR, 892
 Dalen JE, 179
 Daly PA, 1228
 Dang T-Y, 439
 Daniel WG, 639, 837
 Daniels SR, 785
 Dansby C, 150
 Dargie HJ, 55A
 Davidson R, 1062
 Davies GJ, 635
 Davis D, 2E
 Davis VG, 860
 DeBakey L, 458

AUTHOR INDEX: VOLUME 62

- Aarynen M, 35J
 Abedal-Berini L, 623
 Abe H, 1224
 Aber VR, 635
 Abernethy D, 103G
 Ablinader EG, 988, 1139
 Abraham AS, 177
 Aburatani H, 60B
 Acampora D, 534
 Aglira BA, 435
 Akers MS, 923
 Alberti E, 285
 Alberts AW, 10J, 16J
 Alboliras ET, 435
 Alderman EL, 1093
 Alegria E, 1103
 Alexander RW, 1268
 al Fagih MR, 264
 al Faraidi Y, 264
 al Kasab S, 264
 Allen HD, 824
 Allie A, 439
 Alpert JS, 310
 Alpert MA, 126
 Altman DG, 755
 al Zalbag M, 264
 Ambos HD, 556
 Ambrose J, 472
 Ambrose JA, 660
 Amsterdam EA, 1I, 24I
 Anderson AJ, 214
 Anderson DW, 658, 789
 Anderson JL, 1D, 62D, 538
 Anderson KM, 147
 Anderson RA, 989
 Anderson RH, 1136
 Andrén L, 114G
 Andreotti F, 635
 Andresen D, 966
 Andrews J, 1142
 Andrews ML, 679
 Anselmo EG, 352
 Arena VC, 1186
 Armistead CW Jr, 419
 Armstrong MA, 971
 Armstrong PW, 1024, 1164
 Armstrong RB, 9E
 Arnold LW, 327
 Aronow WS, 336, 644, 1124, 1295
 Arqué JM, 159
 Arsenian MA, 989
 Arvan S, 197, 1153
 Ash KO, 703
 Ashizawa A, 1224
 Ashmeg A, 264
 Atkins DL, 1197
 Atkinson J, 276
 Autran B, 1311
 Avolio RM, 25K
 Ayers C, 1062
 Badhwar K, 873, 959
 Bagger JP, 686
 Bai JX, 794
 Baim DS, 941
 Baker MT, 209
 Baker PB, 341
 Balkin J, 841, 1153
 Ball SP, 310
 Ballester-Rodés M, 623
 Bamberg W, 935
 Ben T, 202
 Banai S, 661
 Banhardt U, 82E
 Bär FW, 140
 Bär FWHM, 387
 Barber G, 435
 Barboriak JJ, 214
 Barbour DJ, 1134
 Bardy GH, 718
 Barlow GK, 703
 Barnhart JW, 52B
 Barrie M, 1142
 Barry WH, 538
 Bashore TM, 381
 Bass AS, 37C
 Bass EB, 1186
 Bassenge E, 40E
 Beard JT II, 486
 Beaver TR, 165
 Behar JV, 322, 512
 Behroz A, 337
 Beinborn W, 935
 Belhassen B, 835, 1152
 Bellefleur J-P, 598
 Bellinger RL, 1314
 Bombom MCB, 977
 Benditt DG, 901
 Benhorin J, 679
 Bennett D, 995
 Bennett DH, 315
 Benson DW Jr, 225, 566
 Benson LN, 431, 1089
 Bentley MD, 59G
 Beppu S, 641
 Berné-Roqueta L, 623
 Berns E, 44D
 Bernstein AD, 71
 Berré J, 419
 Berry PH, 16J
 Betocchi S, 523
 Betriu A, 1153
 Beukema WP, 1146
 Bhargava V, 131
 Bierman FZ, 121
 Bilheimer DW, 1J
 Billingham ME, 325
 Binkley PF, 94, 341
 Biro GP, 30C
 Bitar J, 1318
 Black AJR, 809
 Black WH, 1208
 Blake J, 246
 Blakley M, 1142
 Blank F, 476
 Block PC, 760
 Blomqvist CG, 449
 Bloom S, 658
 Blount SG, 165
 Bobbio M, 313, 675, 896
 Boden WE, 1000
 Bokelman DL, 16J
 Boleza E, 493
 Bonchek LI, 1153
 Bonnier HJRM, 25
 Bonow RO, 988
 Borer J, 179
 Borer JS, 246, 257
 Borggreffe M, 1292
 Borow KM, 46C
 Borquaye S, 27B
 Bortolotti U, 1130, 1132
 Bottner RK, 1038
 Boucher CA, 799
 Bourland M, 1299
 Braat SH, 140
 Brackett DJ, 1176
 Brand DA, 534
 Braun S, 551
 Braunwald E, 179, 860
 Breisblatt WM, 1005
 Brickman AE, 476
 Bridgen GS, 239
 Bristow JD, 606
 Brockway B, 493
 Brodde O-E, 24C
 Brooks NH, 315
 Brown M, 832
 Brown RT, 1310
 Brugada P, 10D, 387, 454
 Brunner H, 63E
 Brusca A, 675
 Bruschke AVG, 142
 Brush JE Jr, 534
 Brymer JF, 358
 Bublén RS, 741
 Buchbinder NA, 270
 Buckley JC, 449
 Butler NP, 31A, 49E
 Burkart F, 99E
 Burns MJ, 1005
 Bush D, 1202
 Butman S, 472
 Buxton AE, 528
 Byers SL, 1180
 Byrd BF III, 486
 Byrne A, 962
 Cabin HS, 534
 Cain ME, 556
 Calabresi L, 73B
 Call G, 1
 Camerini F, 285
 Camm AJ, 906, 1319
 Camm J, 995
 Campanile G, 147
 Campbell CA, 513
 Campese VM, 85G
 Cannon DS, 83
 Cannon RO III, 306
 Cannon SR, 113
 Cantin B, 892
 Cantraine F, 419
 Capone RJ, 1000
 Caralis DG, 474
 Caralpe-Riera JM, 623
 Caramelo C, 47G
 Cardo M, 159
 Carew TE, 6B
 Carleen E, 192
 Carleen ED, 679
 Carlier E, 419
 Carlson LA, 37B
 Carney RM, 714
 Caro R, 493
 Carpenter J, 94
 Carrió-Gasset I, 623
 Carroll JD, 46C
 Carruthers SG, 562
 Caruana MP, 239, 755
 Casale PN, 799
 Cashman PMM, 755
 Castellanos A, 653, 833
 Castelló R, 1103
 Cauchemez B, 220
 Cavallaro C, 229
 Cercek B, 20
 Chaitman BR, 1155, 1180
 Chambers J, 873
 Chan K-L, 1142
 Chance B, 1234
 Chandraratna PAN, 882
 Chaney RH, 1058
 Charbonnier F, 1048
 Charru A, 1072
 Chassat C, 723
 Chatellier G, 1072
 Chatterjee K, 46A, 57C, 1228
 Chavez AM, 253
 Cheltilin M, 606
 Chen Y, 399
 Cheng TO, 512, 680
 Cheng WD, 52B
 Cherchi A, 827
 Chiariello M, 523
 Child JS, 512
 Chin AJ, 435
 Chin B, 1068
 Chino M, 484
 Chisholm RJ, 1024, 1164
 Chisolm GM III, 20B
 Chouty F, 35D, 220
 Christiansen JC, 147
 Christlieb AR, 665
 Ciavolella M, 312
 Cigalotto A, 285
 Cleland JGF, 55A
 Clements SD, 234
 Cobb FR, 100
 Cobbs BW Jr, 363
 Cody R, 136
 Cohen A, 399
 Cohen AI, 276
 Cohen EJ, 971
 Cohen I, 896
 Cohen M, 646
 Cohn JN, 1A, 25A
 Colan S, 1256
 Colan SD, 778
 Colardyn FA, 68C
 Condorelli G, 745
 Condorelli M, 745
 Conway MA, 53E
 Coombs B, 172
 Cooper B, 843
 Coplan NL, 334
 Coppola E, 670
 Corbett JR, 923
 Cornoni-Huntley J, 59
 Corrao JM, 310
 Cortellessa MC, 670
 Corvol P, 1072
 Cosgrove DM III, 253
 Cosio FG, 821
 Coughlin BJ, 25K
 Coumel P, 35D, 220
 Coussaert E, 419
 Crawford MH, 113, 372
 Crevasse L, 22I
 Cribler A, 598
 Crijns HJ, 1303
 Cripps T, 995
 Cunningham M, 377
 Cunnion RE, 789
 d'Agay MF, 1311
 Dagenais GR, 892
 Dalen JE, 179
 Daly PA, 1228
 Dang T-Y, 439
 Daniel WG, 639, 837
 Daniels SR, 785
 Dansby C, 150
 Dargie HJ, 55A
 Davidson R, 1062
 Davies GJ, 635
 Davis D, 2E
 Davis VG, 860
 DeBakey L, 458

- De Bart ACW, 635
De Geest H, 117
Degoulet P, 1072
Dehmer GJ, 1298
de Klerk NH, 962
De Leonards V, 590
Della E, 1085
Dellgonul U, 474
De Luca N, 745
De Marco T, 46A, 57C, 1228
Demeter RJ, 413
DeMots H, 172
Deorsola A, 313, 675
DePuey EG, 234
DeQuattro V, 751
Desnoyers MR, 1078
de Swart H, 387
Dethy M, 723
Devereux RB, 246, 257, 1297
Diamond GA, 175, 213, 675, 806, 896, 1113, 1152
Dietheim AG, 490
Dietz R, 764
DiPette D, 1062
DiPette DJ, 103G, 109G
Distante A, 67, 694
Dittrich H, 1
Diver DJ, 1309
Doherty NS, 77B
Dolan LM, 785
Donato A, 655
Donnelly CM, 121
Donnerstein RL, 155
D'Onofrio A, 229
Dorosti K, 873, 959
Dotevall A, 114G
Dougherty AH, 44D
Douglas JR, 30C
Douglas JS Jr, 809
Dove JT, 1299
Drash AL, 27B
Dreas L, 285
Dressler FA, 1144
Drexler H, 1E, 82E
Driscoll DJ, 617
Dubuc M, 403
Duff HJ, 736
Dumesnil JG, 892, 1151
Dunnigan A, 225, 566
Durán AC, 159
Dwyer E, 1085
Dyck JD, 1089
Dzau VJ, 30G, 76E
- Edwards JE, 292
Edwards WD, 424
Effron MB, 1202
Eggertsen R, 114G
Eguchi Y, 917
Ehmke H, 68E
Eichhorn EJ, 945
Eigler N, 270
Elliot RS, 25G
Ellis SG, 363, 368
Elson JJ, 1186
Emmot WW, 83C
Emond LH, 945
Enas NH, 175
Enslin GJ, 617
Epstein AE, 490, 741
Epstein S, 1124, 1295
Erikson U, 37B, 44B
Erlebacher JA, 257
Erney TP, 15E
Ernst SMPG, 142
Esteves CA, 977
Etienne F, 336, 644
- Evans J, 1311
Evans RR, 109G
Ewing L, 41D, 818
Ewy GA, 472
Eymen RK, 1058
- Fabregas R, 821
Fagbemi O, 18C
Farquhar JW, 51
Farugui A, 1153
Fauci AS, 789
Feldman RL, 172, 698
Fellows KE, 327, 1310
Ferenchick GS, 164
Ferguson DW, 1048
Ferraro N, 1234
Fetter J, 901
Fields CD, 1078
Filksen-Olsen MJ, 59G
Finkel MS, 1281
Finkelstein D, 83
Finnie KJ, 1011
Fischell TA, 1093
Fischer TA, 764
Fisher J, 246
Fisher LD, 1155
Fisher M, 1062
Fitchett DH, 829
Fitzpatrick PG, 538
Fixler DE, 343
Fleming T, 472
Fletcher BJ, 478
Fletcher GF, 478
Fletcher RD, 276, 399
Flores B, 393
Fogoros RN, 1186
Folland ED, 113
Fong LV, 1136
Fontes VF, 977
Foran RB, 1256
Forbes C, 829
Forman S, 179
Fortmann SP, 89
Foster JR, 814
Foulds R, 53C
Foulds RA, 41C
Frais MA, 73C
Franceschini G, 73B
Francis GS, 9A
Franco I, 873, 959
Fredell PA, 62D
Frederiksen JW, 964
Freedland KE, 714
Freedman DS, 214
Freedom RM, 431, 957, 1089
Freeman MR, 1024, 1164
Frenneaux M, 832
Freye CJ, 322
Frohlich ED, 1G, 79G, 912, 1053
Fromer M, 403
Fudo T, 202
Fujii T, 576
Fukazawa C, 60B
Fukahashi T, 66B
Furberg CD, 41A
Fuster M, 821
Fuster V, 646
Fyhrquist F, 20A
- Gabliani GI, 474
Gaffney JW, 121
Galasso D, 71
Galbraith TA, 341
Gallivan MVE, 1144
Gallucci V, 1130, 1132
Ganz W, 20
Gao SZ, 876
- Garan H, 39H, 83, 186
Garavaglia GE, 594, 912, 1053
Garb JL, 476
Gardin JM, 439
Garg A, 44J
Garrison JC, 36G
Gaspardone A, 312
Gavish A, 661
Gelbel A, 337
Gerber LI, 1241
Gerson RJ, 16J
Gersony WM, 121
Gertz SD, 173
Gessa G, 827
Gettes LS, 814
Ghall J, 46C
Gheorghiadu M, 358
Gianelly RE, 476
Gibbons GH, 30G
Gibson RS, 1000
Gill CC, 253
Gillette PC, 41D, 818
Gillpin E, 1
Ginsburg R, 1093
Gioffre P, 312
Giustino G, 523
Glasser SP, 518
Gleim GW, 173, 334
Glicksman FL, 833
Gluck A, 551
Gold HK, 186
Goldberg LI, 37C
Goldberg RB, 57B
Goldberg RJ, 179
Goldhammer E, 1139
Golding LR, 253
Goldman L, 534
Goldstein S, 1318
Goldstein SA, 590, 1043
Gollub SB, 83C
Gonasas LM, 1068
Gordon S, 1152
Gore JM, 179, 310
Gorgels APM, 140
Gorin I, 1311
Gorlin R, 472
Gorman L, 368
Goto K, 887
Gottliener J, 399
Gottlich CM, 843
Gottlieb CD, 393
Gottlieb S, 661
Goy J-J, 38D
Graboyes TB, 1I, 18I, 1146
Graybar G, 490
Greco R, 229
Green HL, 718
Greenberg BH, 606
Greppi B, 257
Griffith BP, 1140
Grines CL, 352
Grollier G, 173
Grossbard CL, 18I
Grossman E, 594
Gruchow HW, 214
Grundt SM, 44J
Guerra F, 1130, 1132
Guerraty AJ, 829
Guertler-Krawczynska E, 234
Guiney TE, 799
Guiraudon CM, 733
Guiraudon GM, 733
Gundry SR, 811
Guthrie G, 1062
Guthrie GP Jr, 41G
Gwynne JT, 48B
- Haass M, 764
Habbab MA, 822
Hackett DR, 835
Hackworthy RA, 538
Hadden W, 59
Haisty WK, 982
Halim M, 264, 822
Hamlin NJ, 164
Hammermeister KE, 108, 113
Hammill B, 41D
Hansen CL, 923
Hanson W, 824
Hara H, 31B
Hardesty RL, 1140
Hargrove WC III, 393
Hartman E, 1218
Hartz RS, 964
Harvey JR, 941
Hasenfuss G, 104E
Hashimoto T, 202
Haskell WL, 51, 89
Hassanein K, 83C
Hayano M, 917
Haynes SG, 59
Heber ME, 239
Heger JJ, 1126
Heise CT, 617
Heiss WH, 104E
Held AC, 310, 488
Hellestrand KJ, 16D
Helton JG, 435
Helve E, 35J
Henderson M, 1248
Hendricks D, 77B
Heng MK, 794
Henning H, 1
Henningsen P, 686
Henry WL, 439
Herbst CP, 1176
Hernandez PH, 751
Herrold EM, 246
Herron JM, 109G
Higano ST, 1151
Higginbotham MB, 100
Higgins CB, 7K
Hill NE, 209
Hill TC, 945
Hillis LD, 330, 843
Hilty MR, 20E
Hinohara T, 322
Hirata Y, 56, 576
Hiroi M, 82E
Hlatky MA, 175
Hochart P, 892
Hochreiter C, 257
Hod H, 20
Hoff PI, 585
Hoffmann HJML, 25
Höglund P, 114G
Hoit BD, 131
Hollenberg NK, 72E
Hollman J, 873, 959
Holme I, 37B
Holubarsch C, 104E
Hopkins PN, 703
Horacek MB, 1285
Horio Y, 887
Horowitz LN, 461, 482, 1292
Hoshida S, 868
Hougen T, 1078
Howanitz EP, 341
Howe CM, 322, 512
Hoyme WP, 964
Hugenholtz PG, 1C
Huikuri HV, 833
Hunt S, 876
Hunt SC, 703

AUTHOR INDEX

- Iannarelli M, 670
 Idris M, 264
 Iida T, 576
 Iizuka M, 56
 Ilvento JP, 83
 Imamura Y, 917
 Indolfi C, 523
 Ino T, 431
 Ishii K, 13B
 Ishii M, 56
 Isner JM, 493, 1078
 Isshiki T, 79G
 Itakura H, 60B
 Ito K, 576
 Ivey TD, 718
 Iwata S, 1224
 Izzo NJ Jr, 36G
- Jaattela A, 35J
 Jablonsky G, 1011
 Jackson K, 803
 Jackson NC, 73C
 Jackson RL, 77B
 Jain A, 814
 Jain R, 543
 Jakubowski AT, 270
 Janicki JS, 35A
 Janier M, 1311
 Jansen DE, 923
 Jarroo JM, 809
 Jaski BE, 63C
 Jason M, 246
 Jawad I, 444
 Jessup M, 1307
 Jeunemaitre X, 1072
 Johansson J, 37B
 Johnson DE, 83C
 Johnson G, 718
 Johnson RM, 36G
 Jolivet DM, 62D
 Jones MG, 322
 Jones PE, 315
 Jordan LJ, 841
 Jorde LB, 708
 Jorfeldt LS, 25E
 Josephson ME, 528
 Judy WV, 413
 Julien J, 1072
 Juni JE, 352
 Just H, 1E, 2E, 82E, 104E, 337, 347
- Kaarsalo E, 35J
 Kadish AH, 580
 Kahn RJ, 419
 Kaljeer L, 37B
 Kalan JM, 36, 144, 152, 988, 1144
 Kalkunte JR, 170
 Kaltenbach M, 935
 Kamada T, 868
 Kambara H, 202
 Kan JS, 327
 Kander NH, 368
 Kangawa K, 56
 Kannel WB, 1109
 Kapoor WN, 1186
 Kappenberger L, 38D
 Karakawa S, 576
 Karhade V, 319
 Karlner JS, 1129
 Karlsson J, 108E
 Kasab SA, 822
 Kaski JC, 832
 Kasper W, 337, 347
 Katz AM, 3A
 Katz J, 301, 330
- Katz S, 36E
 Kaufman MP, 58E
 Kaufmann U, 38D
 Kavadas M, 1285
 Kawai C, 13B, 202
 Kawanishi DT, 882
 Kay GN, 490, 741
 Keane JF, 327, 1256
 Kehoe RF, 1213
 Keiser HR, 1281
 Keiter-Marek J, 824
 Keller J, 59
 Kelly DL, 126
 Kelly PA, 83
 Kenlen GG, 665
 Kenigsberg K, 170
 Kent KK, 1038
 Kent KM, 152
 Keon WJ, 30C
 Kerber RE, 333, 1048
 Keren A, 661
 Keren G, 551
 Kern MJ, 474
 Kerr CR, 480, 1192
 Khaja F, 358
 Khan MI, 635
 Khurana TR, 319
 Kim SG, 71
 Kim SS, 23D, 29D
 Kimball B, 1248
 Kimura K, 1147
 Kimura S, 751
 King SB III, 2K, 363, 809
 Kinney EL, 1311
 Kinoshita S, 1147
 Kiowski W, 99E
 Kirchheim H, 68E
 Kirkendall W, 1068
 Kirklin JK, 490
 Kirlin PC, 150, 164
 Kirshenbaum J, 1268
 Kisslo KB, 381
 Kita T, 13B
 Kitabatake A, 868
 Kitzis M, 1311
 Kjekshus J, 1A, 60A, 67A
 Klatsky AL, 971
 Kleiger RE, 714, 1000
 Kleiman RB, 528
 Klein GJ, 733
 Klein LS, 1126
 Klein LW, 482
 Klein MD, 24H
 Kliffeld P, 257, 1043
 Klomps HC, 25
 Kloner RA, 513
 Klöpper JW, 837
 Kloss MW, 16J
 Kluff C, 635
 Knatterud G, 179, 1151
 Kodama T, 60B
 Koenigsberg M, 1124
 Koehn LJ, 973
 Kohmoto O, 56
 Koito H, 316, 985
 Kojima S, 576
 Kollath J, 935
 Koning R, 598, 1241
 Konishi G, 1147
 Konishi J, 202
 Kormos R, 1140
 Kornbrust DJ, 16J
 Kornreich F, 1285
 Korsmeyer C, 1299
 Kosinski EJ, 945
 Kostis JB, 1171
 Kostuk WJ, 1011
- Kotchen TA, 41G
 Kou WH, 580
 Kragel AH, 771, 1263
 Kramer-Fox R, 257
 Kratz C, 1256
 Kreis A, 493
 Kremastinos D, 1152
 Kremers MS, 1208
 Krishnamurthy GT, 606
 Krishnaswami V, 172, 1098
 Krivokapich J, 512
 Krolewski AS, 665
 Kromer EP, 161
 Krucoff MW, 1038
 Ku G, 77B
 Küber W, 764
 Kuchar DL, 39H
 Kuida H, 703
 Kulka JT, 1273
 Kulikarni PV, 923
 Kume N, 13B
 Kumon K, 641
 Kuo LC, 968, 1139
 Kuramochi M, 576, 1224
 Kurgan A, 173
 Kus T, 403
 Kushner JA, 580
 Kutayli F, 979
 Kuzuya T, 868
 Kwassman M, 57C
 Kyriakides Z, 1152
- Laakso M, 1273
 L'Abbate A, 67, 694
 Labovitz AJ, 1180
 LaCroix AZ, 59
 Lahera V, 59G
 Lahiri A, 239, 755
 Lai L, 827
 Laird C, 150
 Lakier J, 1318
 Lamas GA, 31
 Landgraf H, 935
 Lane HC, 789
 Lang RE, 764
 Lang RM, 46C
 Lange RA, 330
 Laniado S, 551, 835
 Lämsimies E, 1273
 Lantinga LJ, 209
 Lanza GA, 670
 Laragh JH, 246
 Laramée P, 20
 Lasry JE, 512
 Lassvik C, 37B
 Lattanzi F, 67, 694
 Lau C-P, 906
 Lau D, 57C
 Lavine SJ, 444, 488, 1098
 Lazarus M, 439
 Lear JL, 543
 Lebeis MP, 665
 LeBlanc RA, 403
 Leclercq JF, 220
 Lee DD-P, 751
 Lee KL, 3D, 1038
 Lee L, 982
 Lee NH, 336, 644
 Lee P-K, 480
 Lee RH, 1176
 Lee TC, 1093
 Leehey DJ, 1218
 Leenhardt A, 220
 Leggett SI, 322, 512
 Lehmann MH, 803
 Lehtonen A, 35J
 Leiboff RH, 658
- Leier CV, 86E, 94
 Leinbach RC, 186
 LeJemtel TH, 36E
 Leland OS, 945
 Lembo G, 745
 Leon MB, 152
 Letac B, 598, 1241
 Levine MJ, 1309
 Levine PA, 24H
 Levinson N, 1098
 Levy D, 147
 Levy R, 1153
 Levy WS, 658
 Lew AS, 20
 Lewis AB, 649
 Lewis BS, 20
 Lewis SM, 665, 945
 Li DL, 52B
 Lichtlen PR, 639, 837
 Lie KI, 1303
 Lieberman I, 27B
 Lieberman S, 1068
 Liem LB, 78, 611
 Liermann D, 935
 Liew C-C, 20G
 Lima S, 1202
 Limas C, 816
 Limas CJ, 816
 Lin S-L, 882
 Lindsay BD, 556
 Lindsay J Jr, 590, 1043
 Lipkin DP, 49E
 Littman WJ, 1033
 Litvack F, 270
 Llorente C, 821
 LoCicero J III, 964
 Lock JE, 292, 327
 Loeb AL, 36G
 Loop FD, 253
 Loscalzo J, 377, 1268
 Lown B, 181
 Lubsen J, 73A
 Lucas AR, 1078
 Lucas RV Jr, 292
 Luciente M, 670
 Lurie PR, 468
 Lytle BW, 253
- Macchi G, 53C
 MacDonald JS, 16J
 Madans JH, 59
 Maggio C, 313
 Magni A, 1130
 Magrina J, 892
 Magrini F, 53C
 Mahony L, 343
 Malbecq W, 35J
 Mancini DM, 1234
 Manley JC, 214
 Mann DE, 408
 Mann JM, 8, 152, 847
 Manoach M, 170
 Manyari DE, 736
 Manzoli U, 670
 Marantz TM, 476
 Marche C, 1311
 Marchlinski FE, 393, 528
 Marin J, 794
 Marino B, 1256
 Marshall A, 478
 Marshall T, 1011
 Martin GR, 929
 Martinez-Caro D, 1103
 Marwick TH, 171
 Marx GR, 155, 824
 Maseri A, 635, 832
 Masini M, 67, 694

- Mason J, 472
 Massie B, 53E
 Massie BM, 606
 Masuyama T, 1093
 Mathien GM, 15E
 Matsumoto A, 60B
 Matsuo H, 56
 Matsuo S, 917
 Matsuoka H, 56
 Matsuyama K, 727, 887
 Matsuzawa Y, 66B
 Mattioni TA, 1213
 Mayer JE Jr, 1256
 Mazzucco A, 1130, 1132
 McBride W, 330
 McCabe CH, 1155
 McCarthy EA, 3D
 McComb JM, 83, 186
 McCroskery JH, 209
 McElroy PA, 35A
 McFadden RB, 25K
 McIntosh CL, 988
 McKay CR, 882
 McKay RG, 941, 1309
 McKenna E, 3G
 McKoy RC, 1140
 McLain JR, 1005
 McLaughlin PR, 1089
 McNamara RF, 192
 McNulty A, 1297
 McNutt RA, 164
 Meineritz T, 82E, 337, 347
 Meissner MD, 1307
 Meister SG, 660
 Meltzer RS, 157
 Menard J, 1072
 Mendez A, 57B
 Mendoza LJ, 653
 Menlove RL, 538
 Mercier L-A, 723
 Mercurio G, 827
 Merino A, 1103
 Messerli FH, 594, 912, 1053
 Meyer RA, 785
 Mianulli M, 901
 Micco A, 650
 Michaelis LL, 964
 Milkell FL, 1299
 Milano A, 1130, 1132
 Miles WM, 1126
 Miller GJ, 165
 Miller JM, 393, 528
 Miller WE, 372
 Milliken MC, 301
 Milner MR, 1043
 Minamino T, 868
 Minoda K, 887
 Mirabal GS, 83
 Mitchell JH, 301
 Mitchell LB, 736
 Miyagi H, 727
 Miyata A, 56
 Miyatake K, 641
 Moe N, 809
 Mølgaard J, 37B
 Mondadori C, 53C
 Monsuez J-J, 1311
 Montague TJ, 1285
 Moore DM Jr, 330
 Moore RL, 20E
 Morady F, 580
 Morel DW, 20B
 Morganroth J, 18H, 461
 Moriel M, 661
 Morrison DA, 108
 Morse JR, 1028
 Moses HW, 1299
 Moss AJ, 192, 679
 Mrosek DG, 1180
 Mudge GH, 1268
 Muggle A, 639, 837
 Muller D, 493
 Muller JE, 860
 Münzel T, 40E
 Muro-Cacho CA, 165
 Murphy E, 172
 Murphy MB, 46C
 Murray KD, 341
 Musch TI, 2E, 20E
 Musto A, 229
 Musto B, 229
 Mustonen JN, 1273
 Myerburg RJ, 653, 833
 Myerowitz PD, 341
 Naccarelli GV, 44D
 Nadeau R, 403
 Naessens JM, 424
 Nagano Y, 13B
 Nagata S, 1224
 Nappi JM, 109G
 Narumiya S, 13B
 Natarajan D, 319
 Nath A, 126
 Nelissen U, 1093
 Nesto RW, 178
 Neukermans K, 838
 Neuman M, 170
 Neumann A, 46C
 Neuss H, 56D
 Newell JB, 186
 Ng G, 1155
 Nicholas JA, 334
 Nicklas JM, 368
 Nicod P, 1
 Nidorf SM, 962
 Nielsen TT, 686
 Nigam PD, 319
 Nikaidoh H, 343
 Niles NW, 257
 Nilsson S, 37B, 44B
 Nimura Y, 641
 Nishikawa K, 484
 Norwood WI, 435
 Nunez BD, 594, 912, 1053
 Nyhuls AW, 413
 Oakley C, 14A
 Obrador-Mayol D, 623
 O'Connor SE, 9C
 Ogilvie RW, 15E
 Oh JK, 1151
 Ohe T, 576
 Ohm O-J, 585
 Øie B, 585
 Okada K, 47G
 Okin PM, 1043
 Oksa H, 35J
 Okumura K, 727, 887
 O'Leary TJ, 789
 Olson S-O, 114G
 Olsson AG, 37B
 Omae T, 576, 1224
 O'Neill WW, 15K, 352
 Orenstein JM, 658
 Oreto G, 655
 Orme E, 472
 O'Rourke RA, 372
 Ortola FV, 1323
 Ouyang P, 1202
 Oviatt T, 108
 Oviatt TW, 824
 Paakkonen P, 35J
 Paasch C, 935
 Palac R, 172
 Palacios IF, 760
 Pandian NG, 493, 1078
 Panicek DM, 973
 Pape LA, 310
 Paraskos J, 310
 Park SC, 1136
 Parness I, 1256
 Parratt JR, 18C
 Parrillo JE, 789
 Parsonnet V, 71
 Parthasarathy S, 6B
 Participants in the Veterans
 Administration Cooperative
 Study on Valvular Heart
 Disease, 113
 Pasquini L, 1256
 Passamani ER, 179
 Patt MV, 181
 Patt NL, 1024
 Patterson RE, 1281
 Peach MJ, 36G
 Pearson AC, 1180
 Pecora MJ, 363
 Pegram BL, 79G
 Peller OG, 1297
 Penas M, 821
 Penn IM, 1151
 Pepper J, 1319
 Peralba J, 399
 Perkins JV, 234
 Perloff JK, 512, 1149
 Perrone-Filardi P, 523
 Persson P, 68E
 Peshock RM, 301, 449
 Peters C, 63C
 Peterson J, 78, 1186
 Pfeffer MA, 31
 Pfeifer M, 637
 Phelix JM, 1314
 Phibbs B, 472
 Picano E, 67, 694
 Pichard A, 152
 Pieper KS, 1038
 Pierpont G, 113
 Piessens J, 117
 Pigott JD, 435
 Pinamonti B, 285
 Pini R, 257
 Pintor PP, 313
 Piomelli S, 121
 Piscione F, 523
 Pistis G, 313, 675
 Pittlick PT, 638
 Pitt B, 368
 Plokker HWT, 142
 Plouin P-F, 1072
 Plumb VJ, 490, 741
 Podrid PJ, 24H
 Pollak PT, 562
 Pollick C, 1248, 1252
 Pollock BH, 896
 Pongiglione G, 566
 Pool PE, 109G
 Poole WK, 860
 Poole-Wilson PA, 4C, 31A, 49E
 Pope C, 1033
 Pope JE, 962
 Popma JJ, 1298
 Potkin BN, 41, 1017
 Powell LH, 1159
 Prahalada S, 16J
 Prignitz I, 935
 Pritchett ELC, 1D, 3D
 Przewolka U, 337
 Pyörälä K, 1273
 Qi A, 480
 Quinones MA, 968
 Radda GK, 53E
 Raff U, 543
 Rafferty EB, 239, 755
 Rahimtoola SH, 882
 Raich PC, 69G
 Raji L, 54G
 Rajagopalan B, 53E
 Rajendran V, 264
 Rajfer SI, 46C
 Randall PA, 973
 Randolph PH, 94
 Rao PS, 979
 Rapaport E, 3I
 Rashwan M, 131
 Rautaharju PM, 59, 1285
 Raymond R, 959
 Re RN, 7G
 Reale A, 312
 Rebuzzi AG, 870
 Rector TS, 25A
 Reeves JT, 650
 Reeves RL, 109G
 Reilly JM, 789
 Reiter MJ, 408
 Reynolds K, 738
 Rezkalla S, 513
 Ribeiro PA, 264, 822
 Ricciardelli B, 745
 Rich MW, 714
 Richards KL, 113
 Riede U, 82E
 Riegger GAJ, 161
 Rinkenberger RL, 44D
 Riseman J, 1299
 Rivano CA, 827
 Robbins WL, 234
 Roberts N, 53C
 Roberts WC, 8, 36, 41, 144, 152,
 167, 276, 339, 345, 495, 771,
 789, 840, 847, 988, 991, 1017,
 1134, 1144, 1263, 1281, 1325
 Roden DM, 34H
 Rokey R, 968, 1139
 Romain KE, 1144
 Roman MJ, 257
 Romeo F, 312
 Romero JC, 59G
 Roos JP, 628
 Rose B, 698
 Rosenblatt S, 109G
 Rosenmann D, 841
 Rosiello G, 745
 Ross AM, 21K
 Ross BA, 41D, 818
 Ross J Jr, 1
 Ross RD, 785
 Rosseel PMJ, 78C
 Roth A, 551
 Roth FJ, 935
 Rothbard RL, 538
 Rothschild A, 637
 Rothschild M, 637
 Rothschild RG, 1321
 Rotto DM, 58E
 Roubin GS, 363, 809
 Rouleau J-L, 46A
 Rouleau JR, 892
 Rowe RD, 431, 1089
 Rowe WW, 814
 Roy D, 723
 Rozenbaum W, 1311
 Rucinska E, 1062
 Rudd MA, 1268
 Rudert WA, 27B

AUTHOR INDEX

- Ruffy R, 23D, 29D
 Rullope LM, 59G
 Rumberger JA, 333
 Ruskin JN, 39H, 83, 186
 Rutledge J, 1062
 Ryan TJ, 1155
 Rybicki KJ, 58E
 Ryden L, 75A
- Sabbah HN, 358
 Sacharoff A, 493
 Safian RD, 1309
 Sahasakul Y, 424
 Sahn DJ, 131
 Said E, 1139
 Saini JS, 714
 Saito S, 484
 Saitoh F, 1224
 Saji H, 202
 Sakai T, 484
 Sakuma S, 1147
 Salem DN, 1078
 Salerni R, 1140
 Sales FF, 336, 644
 Salmi J, 35J
 Saltin B, 30E
 Salvatore M, 523
 Salvi A, 285
 Sami MH, 1152
 Samuel P, 1068
 Sanders JH, 964
 Sanders SP, 778, 1256
 Sans-Coma V, 159
 Saoudi N, 653
 Sasaki T, 868
 Satullo G, 655
 Saul JP, 566
 Savage DD, 59
 Savage MP, 665
 Sawrey-Kubicek L, 51
 Scalfzetti EM, 973
 Scanlon PJ, 1033
 Schaefer EJ, 1068
 Schamroth L, 655
 Schechtman KB, 556, 1000
 Scheinman M, 1129
 Schlepper M, 56D
 Schmaltz S, 580
 Schmidt LF, 77B
 Schmieder RE, 594, 912, 1053
 Schneeweiss A, 178
 Schneider JA, 1299
 Schocken DD, 982
 Schoenfeld BH, 1068
 Schofield PM, 315
 Schoop W, 935
 Schraider J, 959
 Schreiber TL, 1297
 Schrier RW, 47G
 Schröder R, 966
 Schroeder JS, 876, 1093
 Schuger CD, 803
 Schumacher JR, 843
 Schumacher M, 347
 Schwartz A, 3G
 Schwartz CJ, 1B
 Schwartz DJ, 1000
 Schwartz KS, 1124
 Schwartz S, 1062
 Schwarz KQ, 157
 Schweiger MJ, 476
 Schwinger M, 646
 Scottichini D, 38E
 Selinger JL, 1323
 Selvester RH, 1038, 1116
 Senda M, 202
 Serizawa T, 56
- Sethi GK, 113
 Setty RK, 25K
 Sevilla DC, 1038
 Shah PK, 20
 Shahid M, 822
 Shapiro EP, 1202
 Sharma AD, 562, 733
 Shaver JA, 1098
 Sheares R, 171
 Sheffield LT, 1155
 Sheldon RS, 736
 Shenasa M, 403
 Shepherd AMM, 92G
 Sherrid M, 1085
 Shimomura K, 579
 Shinebourne EA, 1319
 Sholler GF, 778
 Short BL, 929
 Shroyer KR, 165
 Shultz P, 54G
 Siddoway LA, 2H
 Siemenczuk D, 606
 Sights KA, 83C
 Sigwart U, 38D
 Silva MVD, 977
 Silvestri F, 285
 Simmons JT, 789
 Simonton CA, 100
 Simpfordorfer C, 873, 959
 Simpson PC, 13G
 Singh SN, 399
 Sinoway LI, 2E, 45E
 Sirna SJ, 1048
 Sirtori CR, 73B
 Sirtori M, 73B
 Slu CO, 1202
 Skelton TN, 381
 Slama R, 220
 Smallhorn JF, 1089
 Smeets JLRM, 387
 Smith GW, 9C
 Smith P, 29D
 Smith TD, 1281
 Sobocinski KA, 214
 Sole MJ, 20G
 Solodina M, 1208
 Soma Y, 484
 Sorensen SG, 538
 Sousa JEMR, 977
 Spaccavento LJ, 1005
 Spence DW, 173
 Spodick DH, 316, 465, 985, 1323
 Sprafkin RP, 209
 Sprenger M, 628
 Spudis EV, 170
 Staker LV, 109G
 Stamler J, 377
 Stamler JS, 1268
 Stang JM, 952
 Stark CA, 333
 Starling RC, 341
 Steele TH, 74G
 Stein PD, 358
 Steinberg D, 6B
 Steinman RT, 803, 1213
 Stellin G, 1130
 Stenport G, 37B, 44B
 Stern S, 661
 Stevenson LW, 1321
 Stevenson WG, 1321
 Stewart RB, 718
 Stewart RW, 253
 Stinson EB, 876
 Stokes J III, 147
 Stone PH, 860
 Stovall JR, 108
 Strasburger JF, 566
- Strauss HW, 799
 Stray-Gundersen J, 301
 Stults BM, 703
 Sugimoto T, 56
 Sullivan TJ, 838
 Sung BH, 1176
 Superko HR, 51
 Sutor C, 809
 Sutton M, 121
 Suzuki K, 868
 Suzuki S, 641
 Suzuki T, 1224
 Svensson A, 114G
 Swedberg K, 1A, 60A, 67A
 Swerdlow CD, 78, 611
 Szeverenyi NM, 973
- Tada M, 868
 Tahvanainen K, 1273
 Taichman GC, 30C
 Tajik AJ, 424
 Tak T, 882
 Takahashi M, 649
 Takaichi S, 31B
 Takaku F, 60B
 Takaoka K, 887
 Talenti E, 1132
 Tallercio CP, 1151
 Talwar S, 1273
 Tamaki N, 202
 Tamburi S, 670
 Tami L, 444
 Tanaka N, 641
 Tandon R, 292
 Tarul S, 66B
 Tavel ME, 175
 Taylor GJ, 1299
 Taylor PC, 253
 Taylor SH, 73C
 Tenaglia A, 136
 Terjung RL, 15E
 Terry BE, 126
 teVelde A, 714
 Thaper MK, 979
 The APSAC Investigators, 538
 The APSAC Multicenter Trial Group, 347
 The CONSENSUS Ethical Review Committee, 73A
 The CONSENSUS Trial Study Group, 60A, 67A
 The Diltiazem Reinfarction Study Research Group, 1000
 The Dutch Invasive Reperfusion Study Group, 25
 The Encainide-Ventricular Tachycardia Study Group, 571
 The Finnish Lovastatin Study Group, 35J
 The MILIS Study Group, 860
 The Multicenter Postinfarction Research Group, 192, 679
 The National Heart Foundation of Australia Coronary Thrombolysis Group, 962
 The Stanford Weight Control Project Team, 89
 The TIMI Investigators, 179
 Thiene G, 1132
 Thoben-O'Grady L, 399
 Thomas D, 606
 Thomassen A, 686
 Thompson PL, 962
 Thoresen CE, 1159
 Tikkanen I, 20A
 Tikkanen MJ, 35J
 Tili JA, 1319
- Robert JA, 28J
 Todd GL, 25G
 Tofler GH, 860
 Tolonen LK, 580
 Tokushima T, 917
 Tolins JP, 54G
 Tomikawa M, 31B
 Tomlinson GC, 1005
 Tommaso CL, 811
 Tomoda H, 1122
 Topol EJ, 352, 388
 Toth PD, 413
 Trimerco B, 745
 Tristani FE, 1155
 Tronstad A, 585
 Tsai P, 47G
 Tsuchiya T, 727
 Tsuji S, 917
 Tsuruta M, 917
 Tschler M, 1234
 Turi ZG, 513
 Turkevich D, 650
 Tuzcu EM, 873
 Tzivoni D, 861
- Ugolini V, 923
 Umhau JB, 175
 Unverferth DV, 94, 341
 Uretsky BF, 1140
 Urie PM, 325
 Uusitupa MJ, 1273
- Vacek JL, 83C, 1314
 Vaghy PL, 3G
 Valente M, 1132
 Valk J, 628
 Vallbracht C, 935
 Vandenberg BF, 333
 Van Den Berg EK, 1298
 Vandenberghe JF, 68C
 Vandeplass A, 117
 Van Der Starre PJA, 78C
 Vandormael MG, 474
 Van Eenige MJ, 628
 Van Gelder IC, 1303
 Van Praagh R, 1256
 Van Praagh S, 1256
 Van Rossum AC, 628
 Van Tellingen C, 142
 Varghese J, 658
 Varon D, 170
 Vatner SF, 94E
 Vaughan DE, 31, 1268
 Veharanta T, 35J
 Venditti FJ, 24H
 Verbast KM, 698
 Vermaak WJH, 841
 Vidal MJ, 59G
 Viikari J, 35J
 Vincent J-L, 419
 Virmani R, 276, 658, 789
 Viskin S, 835
 Visser FC, 628
 Visser RF, 25
 Vittecoq D, 1311
 Vittecoq J, 372
 Vogel JHK, 25K
 Vogel RA, 1K, 11K, 811
 Volpe M, 745
 Von Leitner E-R, 966
 Vorderbrugge S, 480
- Wadenvik H, 114G
 Wagner GS, 322, 512, 982, 1038, 1116
 Wagner NB, 322, 512, 982, 1038, 1116

- Wainwright CL, 18C
Wakasugi J-I, 31B
Wakita Y, 1147
Walldius G, 37B
Wallis DE, 1033
Walton JA, 368
Wang R, 27B
Wang SS, 1078
Ward D, 995
Ward DE, 1319
Warner RA, 209
Watson KM, 341
Watt C, 131
Weber KT, 35A
Weber MA, 97G
Wegscheider K, 966
Wei JY, 178
Weiland FL, 1005
Weiner DA, 1155
Weinert L, 46C
Weintraub WS, 363
Wellens HJJ, 10D, 140, 387
Wellons HA, 1299
Wells PJ, 1208
Wenger NK, 171
- West TW, 518
Whelchel JD, 234
White CW, 1301
Whitlow P, 873, 959
Whorwell PJ, 315
Wichmann T, 63E
Wielgosz AT, 308
Wigle ED, 1248
Wilensky RL, 276
Willems JL, 117
Williams AE, 1024
Williams RR, 703, 708
Willich SN, 860
Willis PW III, 150
Wilson AR, 1307
Wilson DB, 83C
Wilson JR, 1234
Wilson MF, 1176
Wilson RA, 608
Wilson RF, 1301
Wisenberg G, 1011
Wish M, 399
Woelfel A, 814
Wolf HK, 59
Wolf NM, 660
- Wolff M, 1311
Wolfson P, 103G
Wolos JA, 77B
Wolozin MW, 1323
Wong LB, 1148
Wood PD, 89
Woodhouse SP, 171
Woods JR, 175, 413
Wooley CF, 952
Woosley RL, 1H, 9H
Wyman RM, 941
Wyndham CRC, 13I
Wyse DG, 736
- Yamagishi M, 641
Yamamoto A, 31B, 66B
Yamashita K, 202
Yamashita S, 66B
Yasue H, 727, 887
Yee R, 733
Yeung-Lai-Wah JA, 480
Yokode M, 13B
Yonekura Y, 202
Yoshino H, 484
- Young CA, 785
Young M-L, 1197
Young P, 1268
Yudeiman P, 276
Yusuf S, 41A
- Zabetakis PM, 173
Zalbag MA, 822
Zales VR, 225
Zaman L, 833
Zanchetti A, 63C
Zee-Cheng C-S, 23D
Zeigler V, 41D, 818
Zelis K, 63E
Zelis R, 1E, 2E, 63E
Zheutlin TA, 1213
Zimmerman BG, 69G
Zin D, 661
Zion MM, 177, 841, 1153
Zipres DP, 1126
Zoghbi WA, 968
Zuberbuhler JR, 1136
Zusman R, 103G
Zwicky P, 639

Abstracts—1988, American Academy of Pediatrics—Cardiology Section

Abstracts. American Academy of Pediatrics, Section on Cardiology, 30th Annual Meeting, San Francisco, California, October 14–16, 1988, 500

Acetabulol

Verapamil versus acetabulol for syndrome X, 312

Acetylcholine

Effects of acetylcholine on epicardial coronary arteries after cardiac transplantation without angiographic evidence of fixed graft narrowing, 1093

Effects of intracoronary injection of acetylcholine on coronary arterial hemodynamics and diameter, 887

Acquired immune deficiency syndrome

Comparison among acquired immune deficiency syndrome patients with and without clinical evidence of cardiac disease, 1311

Frequency of myocarditis, left ventricular dysfunction and ventricular tachycardia in the acquired immune deficiency syndrome, 789

Myocarditis diagnosed by endomyocardial biopsy in human immunodeficiency virus infection with cardiac dysfunction, 858

Acute myocardial infarction

See also Myocardial infarction

Acquired ventricular septal defect during acute myocardial infarction: analysis of 38 unoperated necropsy patients and comparison with 50 unoperated necropsy patients without rupture, 8

Acute myocardial infarction in a 22-year-old world class weight lifter using anabolic steroids, 164

Acute myocardial infarction in diabetes mellitus and significance of congestive heart failure as a prognostic factor, 665

Acute myocardial infarction in women: Influence of gender on mortality and prognostic variables, 1

Atrial natriuretic peptide in acute myocardial infarction, 1122

Circadian variation of ventricular tachycardia in acute myocardial infarction, 670

Clinical significance and prognostic importance of left ventricular hypertrophy in non-Q-wave acute myocardial infarction, 1000

Comparison of intravenous anisoylated plasminogen streptokinase activator complex and intracoronary streptokinase in acute myocardial infarction, 25

Comparison of left ventricular function and contractile reserve after successful recanalization by thrombolysis versus rescue percutaneous transluminal coronary angioplasty for acute myocardial infarction, 352

Comparison of nalbuphine hydrochloride versus morphine sulfate for acute myocardial infarction with elevated pulmonary artery wedge pressure, 551

Comprehensive electrocardiographic analysis of acute myocardial infarction by individual and combined waveforms, 465

Effects of type A behavior counseling and

severity of prior acute myocardial infarction on survival, 1159

Electrically induced ventricular arrhythmias in acute myocardial infarction treated with thrombolytic agents, 188

Estimating left ventricular ejection fraction after myocardial infarction by various clinical parameters, 192

Exercise performance of the high risk acute myocardial infarction patient after cardiac rehabilitation, 197

Factors leading to shorter survival in patients ages 65 to 75 years compared with younger patients after acute myocardial infarction, 860

Impact of thrombolytic therapy on left ventricular mural thrombi in acute myocardial infarction, 310

Lack of association between acute myocardial infarction and mitral valve prolapse, 1297

Left ventricular thrombus formation after first anterior wall acute myocardial infarction, 31

Location of an acute myocardial infarct in patients with a healed myocardial infarct: analysis of 129 patients studied at necropsy, 1017

Morphologic findings in patients undergoing coronary artery bypass grafting for acute myocardial infarction, 144

Nuclear magnetic resonance and radionuclide angiographic assessment of acute myocardial infarction in a randomized trial of intravenous streptokinase, 1011

Occurrence, characteristics and prognostic significance of early postacute myocardial infarction angina pectoris, 679

Physician perception of exercise electrocardiography as a prognostic test after acute myocardial infarction, 675

Polymorphonuclear leukocyte activity and ventricular arrhythmia in acute myocardial infarction, 868

Prospective evaluation of clinical assessment, exercise testing and signal-averaged electrocardiogram in predicting outcome after acute myocardial infarction, 995

Relation of peak creatine kinase levels during acute myocardial infarction to presence or absence of previous manifestations of myocardial ischemia (angina pectoris or healed myocardial infarction), 534

Risk assessment of coronary artery bypass grafting within one month of acute myocardial infarction, 964

Risk of developing an acute myocardial infarction or sudden coronary death in patients with exercise-induced silent myocardial ischemia. A report from the Coronary Artery Surgery Study (CASS) registry, 1155

Rupture of the left ventricular free wall during acute myocardial infarction: analysis of 138 necropsy patients and comparison with 50 necropsy patients with acute myocardial infarction without rupture, 847

Temporary decrease in cardiac parasympathetic tone after acute myocardial infarction, 637

The creatine kinase ratio: a useful means of detecting early peaking of the creatine kinase curve after acute myocardial infarction, 962

The German Multicenter Trial of anisoylated plasminogen streptokinase activator complex versus heparin for acute myocardial infarction, 347

Usefulness of ambulatory radionuclide monitoring of left ventricular function early after acute myocardial infarction for predicting residual myocardial ischemia, 1005

Usefulness of a rapid initial increase in plasma creatine kinase activity as a marker of reperfusion during thrombolytic therapy for acute myocardial infarction, 20

Value of the ST-T segment in lead V₄R in inferior wall acute myocardial infarction to predict the site of coronary arterial occlusion, 140

Adenylate cyclase

Adenylate cyclase activity coupled to the stimulatory guanine nucleotide binding protein in patients having electrophysiologic studies and either structurally normal hearts or idiopathic myocardial disease, 1129

Adolescents

Role of transesophageal pacing in evaluation of palpitations in children and adolescents, 566

AIDS

See Acquired immune deficiency syndrome

AJC 25 Years Ago

The AJC in August 1963, 339

Akinesia

Dubious reliability of Q-wave formation in predicting new regional left ventricular akinesia after coronary artery bypass grafting, 1299

Alcohol

Alcohol use and supraventricular arrhythmia, 971

Aldosteronism

Left ventricular structural characteristics in unilateral renovascular hypertension and primary aldosteronism, 1224

Aminophylline

Aminophylline termination of dipyrindamole stress as a trigger of coronary vasospasm in variant angina, 694

Amiodarone

Elevation of serum total cholesterol and triglyceride levels during amiodarone therapy, 562

Fatal postoperative amiodarone pulmonary toxicity, 490

Right and left ventricular function during chronic amiodarone therapy, 736

Spontaneous disappearance of blue-gray facial pigmentation during amiodarone therapy (out of the blue), 1146

Amiodipine

Clinical safety and efficacy of once-a-day amiodipine for chronic stable angina pectoris, 518

Anastomosis

Fate of the pulmonic valve after proximal pulmonary artery-to-ascending aorta

- anastomosis for aortic outflow obstruction, 435
- Anesthesia**
General anesthesia for intractable ventricular tachycardia, 1318
- Aneurysm**
Induction of ventricular tachycardia in patients with left ventricular aneurysms and no history of arrhythmia, 814
Prevalence of atrial septal aneurysm in patients with mitral valve prolapse, 1139
- Angina pectoris**
See also Variant angina
Altered global myocardial substrate preference at rest and during pacing in coronary artery disease with stable angina pectoris, 686
Angiography morphology in unstable angina pectoris, 1024
Clinical safety and efficacy of once-a-day amlodipine for chronic stable angina pectoris, 518
Comparison of combination nifedipine-propranolol and diltiazem-propranolol with high dose diltiazem monotherapy for stable angina pectoris, 1028
Comparison of the duration of action of atenolol and nadolol for treatment of angina pectoris, 1171
Coronary revascularization after intravenous tissue plasminogen activator for unstable angina pectoris: results of a randomized, double-blind, placebo-controlled trial, 368
Early and long-term results of percutaneous transluminal coronary angioplasty in patients 70 years of age and older with angina pectoris, 959
Frequency of angina pectoris and coronary artery disease in severe isolated valvular aortic stenosis, 117
Left ventricular function after successful percutaneous transluminal coronary angioplasty for postinfarction angina pectoris, 358
Nadolol versus diltiazem and combination for preventing exercise-induced ischemia in severe angina pectoris, 372
Occurrence, characteristics and prognostic significance of early postacute myocardial infarction angina pectoris, 679
Relation of peak creatine kinase levels during acute myocardial infarction to presence or absence of previous manifestations of myocardial ischemia (angina pectoris or healed myocardial infarction), 534
Safety and efficacy of esmolol for unstable angina pectoris, 1033
Significance of cardiac weight in patients having coronary artery bypass grafting for angina pectoris, 36
Usefulness of exercise electrocardiography and thallium scintigraphy in unstable angina pectoris in predicting the extent and severity of coronary artery disease, 1164
- Angiography**
Angiography morphology in unstable angina pectoris, 1024
Causes of chest pain in patients with normal coronary angiograms: the eye of the beholder, 306
Comparison of coronary stenosis quantitation results from on-line digital and digitized cine film images, 381
- Correlation of heart rate variability with clinical and angiographic variables and late mortality after coronary angiography, 714
Dependence of assessment of coronary artery reperfusion during acute myocardial infarction on angiographic criteria and interobserver variability, 538
Evaluation of magnetic resonance imaging for determination of left ventricular ejection fraction and comparison with angiography, 628
Hemodynamic and angiographic effects of prostaglandin E₁ in coronary artery disease, 698
Influence of left ventricular asynchrony on filling in coronary artery disease, 523
- Angioplasty**
Initial experience with coronary angioplasty and aortic valvuloplasty using elective semipercutaneous cardiopulmonary support, 811
Results of low speed rotational angioplasty for chronic peripheral occlusions, 935
- Angioplasty, percutaneous transluminal coronary**
Amelioration of ischemia during angioplasty of the left anterior descending coronary artery with an autoperfusion catheter, 513
Comparative costs of percutaneous transluminal coronary angioplasty and coronary artery bypass grafting in multivessel coronary artery disease, 809
Comparison of left ventricular function and contractile reserve after successful recanalization by thrombolysis versus rescue percutaneous transluminal coronary angioplasty for acute myocardial infarction, 352
Determinants of primary success in elective percutaneous transluminal coronary angioplasty for significant narrowing of a single major coronary artery, 873
Early and long-term results of percutaneous transluminal coronary angioplasty in patients 70 years of age and older with angina pectoris, 959
Effects of percutaneous transluminal coronary angioplasty on atherosclerotic plaques and relation of plaque composition and arterial size to outcome, 41
Left ventricular function after successful percutaneous transluminal coronary angioplasty for postinfarction angina pectoris, 358
Long-term follow-up and influence of symptom-free interval on restenosis after repeat percutaneous transluminal coronary angioplasty, 476
Long-term outcome of patients with asymptomatic restenosis after percutaneous transluminal coronary angioplasty, 1298
Percutaneous transluminal coronary angioplasty in patients with intracoronary thrombus, 474
Transient alterations of the QRS complex and ST segment during percutaneous transluminal balloon angioplasty of the left anterior descending coronary artery, 1038
Ventricular excitation during percutaneous transluminal angioplasty of the left anterior descending coronary artery, 1116
- Angiotensin II**
Effects of long-term angiotensin converting enzyme inhibition on myocardial hypertrophy in experimental aortic stenosis in the rat, 161
- Angiotensin converting enzyme inhibitor**
First dose response and 24-hour antihypertensive efficacy of the new once-daily angiotensin converting enzyme inhibitor, ramipril, 239
- Animal studies**
Effects of long-term angiotensin converting enzyme inhibition on myocardial hypertrophy in experimental aortic stenosis in the rat, 161
Origin of the left main coronary artery from the pulmonary trunk in the Syrian hamster, 159
- Anisoylated plasminogen streptokinase activator complex**
Comparison of intravenous anisoylated plasminogen streptokinase activator complex and intracoronary streptokinase in acute myocardial infarction, 25
The German Multicenter Trial of anisoylated plasminogen streptokinase activator complex versus heparin for acute myocardial infarction, 347
- Anomalous connections**
Anomalous origin of either the right or left main coronary artery from the aorta without coursing of the anomalously arising artery between aorta and pulmonary trunk, 1263
Anomalous venous connection of the superior vena cava to the left atrium, 989
- Antiarrhythmic therapy**
See also Arrhythmia; Ventricular arrhythmia; Ventricular tachyarrhythmia
Antiarrhythmic drug therapy 1988: for whom, how and where? 461
New method for the assessment of drug-induced arrhythmia aggravation, 966
The automatic implantable cardioverter defibrillator as antiarrhythmic treatment: modality of choice for survivors of cardiac arrest unrelated to acute myocardial infarction, 803
- Antigens**
HLA-DRw6 antigen linkage in chronic congestive heart failure secondary to coronary artery disease (ischemic cardiomyopathy), 816
- Aortic regurgitation**
Development of severe stenosis in a previously purely regurgitant, congenitally bicuspid aortic valve, 988
Left ventricular response to submaximal and maximal exercise in asymptomatic aortic regurgitation, 606
Phasic coronary artery flow velocity determined by Doppler flowmeter catheter in aortic stenosis and aortic regurgitation, 917
- Aortic stenosis**
See also Stenosis
Clinical and hemodynamic follow-up after percutaneous aortic valvuloplasty in the elderly, 760
Clinical and noninvasive hemodynamic results after aortic balloon valvuloplasty for aortic stenosis, 1078
Frequency of angina pectoris and

SUBJECT INDEX

- coronary artery disease in severe isolated valvular aortic stenosis, 117
- Insights on the mechanism of balloon valvuloplasty in aortic stenosis, 1241
- Lack of sustained clinical improvement in an elderly population after percutaneous aortic valvuloplasty, 270
- Palliation of valvular aortic stenosis by balloon valvuloplasty as preoperative preparation for non-cardiac surgery, 1309
- Phasic coronary artery flow velocity determined by Doppler flowmeter catheter in aortic stenosis and aortic regurgitation, 917
- Results of percutaneous transluminal valvuloplasty in 218 adults with valvular aortic stenosis, 598
- Aortic valve**
- Age-related changes in aortic and mitral valve thickness: implications for two-dimensional echocardiography based on an autopsy study of 200 normal human hearts, 424
- Development of severe stenosis in a previously purely regurgitant, congenitally bicuspid aortic valve, 988
- Morphologic findings in stenotic aortic valves that have had "successful" percutaneous balloon valvuloplasty, 152
- Aortic valvuloplasty**
- Lack of sustained clinical improvement in an elderly population after percutaneous aortic valvuloplasty, 270
- Arrhythmia**
- See also Antiarrhythmic therapy; Ventricular arrhythmia
- Alcohol use and supraventricular arrhythmia, 971
- Antiarrhythmic drug therapy and arrhythmia risk, 147
- Cardiac pacing practices in the United States in 1985, 71
- Familial right ventricular dilated cardiomyopathy associated with supraventricular arrhythmias, 482
- Flecainide for supraventricular and ventricular arrhythmias in children and young adults, 818
- Long-term arrhythmic outcome in survivors of ventricular fibrillation with absence of inducible ventricular tachycardia, 1213
- Long-term prognosis of patients undergoing electrophysiologic studies for syncope of unknown origin, 1186
- New method for the assessment of drug-induced arrhythmia aggravation, 966
- Results of electrical fulguration in arrhythmogenic right ventricular disease, 220
- Sotalol for refractory sustained ventricular tachycardia and nonfatal cardiac arrest, 399
- Arrhythmogenesis**
- Results of electrical fulguration in arrhythmogenic right ventricular disease, 220
- Termination of tachycardias by interrupting blood flow to the arrhythmogenic area, 387
- Arteriography**
- Frequency of angina pectoris and coronary artery disease in severe isolated valvular aortic stenosis, 117
- Frequency of normal coronary arteriograms in three academic medical centers and one community hospital, 472
- Assist devices**
- Successful management of acute myocarditis with biventricular assist devices and cardiac transplantation, 341
- Asynchrony**
- Influence of left ventricular asynchrony on filling in coronary artery disease, 523
- Atenolol**
- Comparison of the duration of action of atenolol and nadolol for treatment of angina pectoris, 1171
- Comparison of the effects of pindolol and atenolol on hemodynamic function in systemic hypertension, 413
- Atherosclerosis**
- See also Coronary artery disease
- Effects of percutaneous transluminal coronary angioplasty on atherosclerotic plaques and relation of plaque composition and arterial size to outcome, 41
- Atresia**
- Survival to age 65 years with tricuspid and pulmonic valve atresia, 165
- Atrial dimensions**
- Role of right and left atrial dimensions for release of atrial natriuretic peptide in left-sided valvular heart disease and idiopathic dilated cardiomyopathy, 764
- Atrial fibrillation**
- Doppler echocardiographic predictors of recurrence of atrial fibrillation after cardioversion, 723
- Effect of catheter ablation of the atrioventricular junction on quality of life and exercise tolerance in paroxysmal atrial fibrillation, 741
- Effect of flecainide on ventricular rate during atrial fibrillation in Wolff-Parkinson-White syndrome, 78
- Effect of intravenous and oral calcium antagonists (diltiazem and verapamil) on sustenance of atrial fibrillation, 403
- Sustained atrial fibrillation after conversion of paroxysmal reciprocating junctional tachycardia by intravenous verapamil, 835
- Transient atrial dysfunction after conversion of chronic atrial fibrillation to sinus rhythm, 1202
- Atrial natriuretic factor**
- Determinants of plasma atrial natriuretic factor concentrations in congenital heart disease, 785
- Release of atrial natriuretic factor following pericardiectomy for chronic constrictive pericarditis, 1323
- Atrial natriuretic peptide**
- Atrial natriuretic peptide in acute myocardial infarction, 1122
- Estimation of the secretion rate of atrial natriuretic peptide from the coronary sinus in coronary artery disease, 56
- Physiologic changes during supraventricular tachycardia and release of atrial natriuretic peptide, 576
- Role of right and left atrial dimensions for release of atrial natriuretic peptide in left-sided valvular heart disease and idiopathic dilated cardiomyopathy, 764
- Atrial trigeminy**
- Mechanism of concealed atrial trigeminy, 1147
- Atrioventricular conduction**
- Effects of upright posture on atrioventricular nodal reentry and dual atrioventricular nodal pathways, 408
- Atrioventricular connection**
- Effects of epinephrine in patients with an accessory atrioventricular connection treated with quinidine, 580
- Atrioventricular junction**
- Effect of catheter ablation of the atrioventricular junction on quality of life and exercise tolerance in paroxysmal atrial fibrillation, 741
- Autonomic nervous system**
- Effect of pacing cycle length and autonomic blockade on sinus node refractoriness, 1192
- Autopsy**
- Age-related changes in aortic and mitral valve thickness: implications for two-dimensional echocardiography based on an autopsy study of 200 normal human hearts, 424
- Balloon angioplasty**
- Balloon dilation angioplasty of Blalock-Taussig shunts, 824
- Plasma catecholamine responses to balloon angioplasty in children with coarctation of the aorta, 649
- Balloon dilatation**
- Gross and histologic anatomy of total anomalous pulmonary venous connections, 292
- Transient unilateral pulmonary edema after successful balloon dilation of peripheral pulmonary artery stenosis, 327
- Balloon valvotomy**
- Mechanism of mitral valve area increase by in vitro single and double balloon mitral valvotomy, 264
- Percutaneous double balloon pulmonary valvotomy in adults: one- to two-year follow-up, 822
- Balloon valvuloplasty**
- Causes of restenosis after balloon valvuloplasty for valvular pulmonary stenosis, 979
- Clinical and hemodynamic follow-up after percutaneous aortic valvuloplasty in the elderly, 760
- Lack of sustained clinical improvement in an elderly population after percutaneous aortic valvuloplasty, 270
- Morphologic findings in stenotic aortic valves that have had "successful" percutaneous balloon valvuloplasty, 152
- Results of percutaneous transluminal valvuloplasty in 218 adults with valvular aortic stenosis, 598
- Behavioral counseling**
- Effects of type A behavior counseling and severity of prior acute myocardial infarction on survival, 1159
- Beta-adrenergic blockade**
- Comparison of combination nifedipine-propranolol and diltiazem-propranolol with high dose diltiazem monotherapy for stable angina pectoris, 1028
- Comparison of the duration of action of atenolol and nadolol for treatment of angina pectoris, 1171
- Comparison of the effects of pindolol and atenolol on hemodynamic function in systemic hypertension, 413
- Effect of maximal exercise testing on serum cholesterol in healthy subjects undergoing exercise training and on beta-adrenergic blockade, 478

- Effects of celiprolol on plasma renin, aldosterone, norepinephrine and epinephrine in primary hypertension, 751
- Nadolol versus diltiazem and combination for preventing exercise-induced ischemia in severe angina pectoris, 372
- Safety and efficacy of esmolol for unstable angina pectoris, 1033
- Biopsy**
- Repeated endomyocardial biopsy causing coronary arterial-right ventricular fistula after cardiac transplantation, 829
- Blalock-Taussig shunt**
- Balloon dilation angioplasty of Blalock-Taussig shunts, 824
- Blood flow**
- Assessment of coronary blood flow by transthoracic two-dimensional pulsed Doppler echocardiography, 641
- Cardiovascular adaptations to transfusion chelation therapy of homozygote sickle cell anemia, 121
- Cardiovascular pharmacology of dexamine in low output congestive heart failure, 94
- Evaluation of age, gender, heart rate and blood pressure changes and exercise conditioning on Doppler measured aortic blood flow acceleration and velocity during upright treadmill testing, 439
- Isolated obstruction of large septal perforators, 142
- Termination of tachycardias by interrupting blood flow to the arrhythmogenic area, 387
- Blood pressure**
- See also Hypertension; Systemic hypertension
- Blood pressure at rest and during maximal dynamic and isometric exercise as predictors of systemic hypertension, 1058
- Effects of chronic congestive heart failure secondary to coronary artery disease on the circadian rhythm of blood pressure and heart rate, 755
- Effects of weight loss on clinic and ambulatory blood pressure in normotensive men, 89
- Bundle branch block**
- Effect of preexisting bundle branch block on the electrocardiographic diagnosis of ventricular tachycardia, 1208
- Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of complete right bundle branch block, 590
- Physiologic differences in rate-related versus exercise-induced left bundle branch block, 318
- Buyer's guide**
- Advances in cardiovascular technologies (AJC guide to equipment and supplies), 1F
- Calcium antagonists**
- Calcium channel binding characteristics in the human heart, 1281
- Comparison of combination nifedipine-propranolol and diltiazem-propranolol with high dose diltiazem monotherapy for stable angina pectoris, 1028
- Effect of intravenous and oral calcium antagonists (diltiazem and verapamil) on sustenance of atrial fibrillation, 403
- Effects of isradipine, a new calcium antagonist, versus hydrochlorothiazide on serum lipids and apolipoproteins in patients with systemic hypertension, 1068
- Nadolol versus diltiazem and combination for preventing exercise-induced ischemia in severe angina pectoris, 372
- Calcium channel**
- Calcium channel binding characteristics in the human heart, 1281
- Cardiac amyloidosis**
- Frequency of acute and healed myocardial infarcts in fatal cardiac amyloidosis, 1134
- Cardiac anatomy**
- Age-related changes in aortic and mitral valve thickness: implications for two-dimensional echocardiography based on an autopsy study of 200 normal human hearts, 424
- Cardiac arrest**
- Prospective evaluation of initially ineffective defibrillation pulses on subsequent defibrillation success during ventricular fibrillation in survivors of cardiac arrest, 718
- Sotalol for refractory sustained ventricular tachycardia and nonfatal cardiac arrest, 399
- The automatic implantable cardioverter defibrillator as antiarrhythmic treatment modality of choice for survivors of cardiac arrest unrelated to acute myocardial infarction, 803
- Cardiac catheterization**
- Heparin bolus therapy during cardiac catheterization, 1314
- Use of balloon flotation pacing catheters for prophylactic temporary pacing during diagnostic and therapeutic catheterization procedures, 941
- Cardiac function**
- Cardiac function in systemic hypertension before and after reversal of left ventricular hypertrophy, 745
- Cardiovascular response in exercise after the Mustard operation for simple and complex transposition of the great vessels, 617
- Doppler echocardiographic evaluation of cardiac performance in infants on prolonged extracorporeal membrane oxygenation, 929
- Effect of isolated right ventricular outflow obstruction on left ventricular function in infants, 778
- Effects of supine and lateral positions on cardiac output and intracardiac pressures, 330
- Simplified method for estimation of Doppler cardiac output in the great arteries, 155
- Cardiac output**
- Calculating cardiac output from transmitral volume flow using Doppler and M-mode echocardiography, 131
- Cardiac rehabilitation**
- Exercise performance of the high risk acute myocardial infarction patient after cardiac rehabilitation, 197
- Cardiac rejection**
- Retransplantation for severe accelerated coronary artery disease in heart transplant recipients, 876
- Cardiac size**
- Electrocardiographic estimate of left ventricular mass versus radiographic cardiac size and the risk of cardiovascular disease mortality in the epidemiologic follow-up study of the first national health and nutrition examination survey, 59
- Cardiac transplantation**
- Effects of acetylcholine on epicardial coronary arteries after cardiac transplantation without angiographic evidence of fixed graft narrowing, 1093
- Frequency of hypercholesterolemia after cardiac transplantation, 1268
- Left ventricular hypertrophy in cyclosporine-induced systemic hypertension after cardiac transplantation, 1140
- Patterns of evolution of myocyte damage after human heart transplantation detected by indium-111 monoclonal anti-myosin, 623
- Repeated endomyocardial biopsy causing coronary arterial-right ventricular fistula after cardiac transplantation, 829
- Retransplantation for severe accelerated coronary artery disease in heart transplant recipients, 876
- Successful management of acute myocarditis with biventricular assist devices and cardiac transplantation, 341
- Cardiac weight**
- Significance of cardiac weight in patients having coronary artery bypass grafting for angina pectoris, 36
- Cardiogenic shock**
- Administration of enoximone in cardiogenic shock, 419
- Cardiomyopathy**
- See also Hypertrophic cardiomyopathy
- Abnormal myocardial fatty acid metabolism in dilated cardiomyopathy detected by iodine-123 phenylpentadecanoic acid and tomographic imaging, 923
- Evidence for a taurine-deficiency cardiomyopathy, 136
- Familial apical hypertrophic cardiomyopathy, 821
- Familial hypertrophic cardiomyopathy with left ventricular dilatation and conduction disturbances, 484
- Familial right ventricular dilated cardiomyopathy associated with supraventricular arrhythmias, 482
- Natural history and prognostic risk factors in endocardial fibroelastosis, 431
- Role of right and left atrial dimensions for release of atrial natriuretic peptide in left-sided valvular heart disease and idiopathic dilated cardiomyopathy, 764
- Ultrastructural features of familial cardiomyopathy, 325
- Usefulness of dipyridamole-thallium-201 perfusion scanning for distinguishing ischemic from nonischemic cardiomyopathy, 945
- Value of electropharmacologic testing in idiopathic dilated cardiomyopathy and sustained ventricular tachyarrhythmias, 611
- Cardioversion**
- Doppler echocardiographic predictors of recurrence of atrial fibrillation after cardioversion, 723
- Factors affecting transthoracic impedance during electrical cardioversion, 1048
- Relation of the intraoperative defibrillation threshold to successful postoperative defibrillation with an automatic implantable cardioverter defibrillator, 393

SUBJECT INDEX

- Transient atrial dysfunction after conversion of chronic atrial fibrillation to sinus rhythm, 1202
- Catecholamines**
- Evidence for a dopaminergic control of sympathoadrenal catecholamine release, 827
 - Plasma catecholamine responses to balloon angioplasty in children with coarctation of the aorta, 649
 - Systemic and coronary hemodynamic and neurohumoral effects of levodopa in chronic congestive heart failure, 1228
- Catheter ablation**
- Effect of catheter ablation of the atrioventricular junction on quality of life and exercise tolerance in paroxysmal atrial fibrillation, 741
- Catheters**
- Amelioration of ischemia during angioplasty of the left anterior descending coronary artery with an autoperfusion catheter, 513
 - Phasic coronary artery flow velocity determined by Doppler flowmeter catheter in aortic stenosis and aortic regurgitation, 917
 - Use of balloon flotation pacing catheters for prophylactic temporary pacing during diagnostic and therapeutic catheterization procedures, 941
- Celliprolol**
- Effects of celliprolol on plasma renin, aldosterone, norepinephrine and epinephrine in primary hypertension, 751
- Chest pain**
- Causes of chest pain in patients with normal coronary angiograms: the eye of the beholder, 306
 - Connecting the ceruleus and the coronaries, 308
 - Differentiation of "esophageal" and "cardiac" chest pain, 315
 - One-year psychosocial follow-up of patients with chest pain and angiographically normal coronary arteries, 209
- Children**
- Complete denervation of the heart in a child with congenital long QT and deafness, 1319
 - Correlation between directly measured and indirectly estimated sinoatrial conduction time in children, 1197
 - Determinants of plasma atrial natriuretic factor concentrations in congenital heart disease, 785
 - Electrophysiologic effects and clinical efficacy of flecainide in children with recurrent paroxysmal supraventricular tachycardia, 229
 - Flecainide for supraventricular and ventricular arrhythmias in children and young adults, 818
 - Plasma catecholamine responses to balloon angioplasty in children with coarctation of the aorta, 649
 - Role of transesophageal pacing in evaluation of palpitations in children and adolescents, 566
- Cholesterol**
- Effect of maximal exercise testing on serum cholesterol in healthy subjects undergoing exercise training and on beta-adrenergic blockade, 478
 - Effects of solid and liquid guar gum on plasma cholesterol and triglyceride concentrations in moderate hypercholesterolemia, 51
 - Elevation of serum total cholesterol and triglyceride levels during amiodarone therapy, 562
 - Family history as an independent risk factor for incident coronary artery disease in a high-risk cohort in Utah, 703
- Circadian variation**
- Circadian variabilities of modulated ventricular parasystole, 653
 - Circadian variation of ventricular tachycardia in acute myocardial infarction, 670
 - Effects of chronic congestive heart failure secondary to coronary artery disease on the circadian rhythm of blood pressure and heart rate, 755
 - Major circadian fluctuations in fibrinolytic factors and possible relevance to time of onset of myocardial infarction, sudden cardiac death and stroke, 635
- Classification**
- Endocardial fibroelastosis is not a disease, 468
- Clonidine**
- Refractory variant angina relieved by guanethidine and clonidine, 832
- Coarctation**
- Plasma catecholamine responses to balloon angioplasty in children with coarctation of the aorta, 649
- Collaterals**
- Cervical collateral arteries in pulmonary atresia with ventricular septal defect, 1310
- Conduction**
- Correlation between directly measured and indirectly estimated sinoatrial conduction time in children, 1197
 - Direct effect of contrast material on atrioventricular conduction in the denervated human heart, 1321
 - Effect of pacing cycle length and autonomic blockade on sinus node refractoriness, 1192
 - Effect of preexisting bundle branch block on the electrocardiographic diagnosis of ventricular tachycardia, 1208
 - Entrainment of idiopathic ventricular tachycardia of left ventricular origin with evidence for reentry with an area of slow conduction and effect of verapamil, 727
 - Factors affecting transthoracic impedance during electrical cardioversion, 1048
 - Familial hypertrophic cardiomyopathy with left ventricular dilatation and conduction disturbances, 484
 - Improved differentiation of patients with and without ventricular tachycardia by frequency analysis of multiple electrocardiographic leads, 556
 - Prospective evaluation of initially ineffective defibrillation pulses on subsequent defibrillation success during ventricular fibrillation in survivors of cardiac arrest, 718
 - Serial electrocardiographic changes in idiopathic dilated cardiomyopathy confirmed at necropsy, 276
 - Transient atrial dysfunction after conversion of chronic atrial fibrillation to sinus rhythm, 1202
 - Usefulness of transcutaneous triggering of conventional implanted pulse generators by an activity-sensing pacemaker for predicting effectiveness of rate response pacing, 901
- Congenital heart disease**
- Anomalous origin of either the right or left main coronary artery from the aorta with subsequent coursing between aorta and pulmonary trunk: analysis of 32 necropsy cases, 771
 - Catheter occlusion of the persistently patent ductus arteriosus, 1089
 - Determinants of plasma atrial natriuretic factor concentrations in congenital heart disease, 785
 - Echocardiographic and anatomic findings in atrioventricular discordance with ventriculoarterial concordance, 1256
 - Effect of isolated right ventricular outflow obstruction on left ventricular function in infants, 778
 - Fate of the pulmonic valve after proximal pulmonary artery-to-ascending aorta anastomosis for aortic outflow obstruction, 435
 - Gross and histologic anatomy of total anomalous pulmonary venous connections, 292
 - Survival to age 65 years with tricuspid and pulmonic valve atresia, 165
 - The coronary sinus diverticulum: a pathologic entity associated with the Wolff-Parkinson-White syndrome, 733
- Congestive heart failure**
- Acute myocardial infarction in diabetes mellitus and significance of congestive heart failure as a prognostic factor, 665
 - Administration of enoximone in cardiogenic shock, 419
 - Cardiovascular pharmacology of doxamine in low output congestive heart failure, 94
 - Clinical and electrophysiologic features of fetal and neonatal paroxysmal atrial tachycardia resulting in congestive heart failure, 225
 - Detection of abnormal calf muscle metabolism in patients with heart failure using phosphorus-31 nuclear magnetic resonance, 1234
 - Estimating left ventricular ejection fraction after myocardial infarction by various clinical parameters, 192
 - HLA-DRw6 antigen linkage in chronic congestive heart failure secondary to coronary artery disease (ischemic cardiomyopathy), 816
 - Renal artery stenosis in heart failure, 1307
 - Spontaneous neurohormonal fluctuation in chronic congestive heart failure, 150
 - Sustained hemodynamic effects with therapeutic doses of intravenous nitroglycerin in congestive heart failure, 319
 - Systemic and coronary hemodynamic and neurohumoral effects of levodopa in chronic congestive heart failure, 1228
 - The ventilatory threshold: quantitative analysis of reproducibility and relation to arterial lactate concentration in normal subjects and in patients with chronic congestive heart failure, 100
- Contractility**
- Myocardial contractility and left ventricular function in obese patients with essential hypertension, 594
- Contrast media**
- Direct effect of contrast material on atrioventricular conduction in the denervated human heart, 1321

Converting enzyme inhibition

Immediate and short-term cardiovascular effects of a new converting enzyme inhibitor (lisinopril) in essential hypertension, 912

Coronary arteries

Amelioration of ischemia during angioplasty of the left anterior descending coronary artery with an autoperfusion catheter, 513

Anomalous origin of either the right or left main coronary artery from the aorta with subsequent coursing between aorta and pulmonary trunk: analysis of 32 necropsy cases, 771

Anomalous origin of either the right or left main coronary artery from the aorta without coursing of the anomalously arising artery between aorta and pulmonary trunk, 1263

Connecting the ceruleus and the coronaries, 308

Effects of acetylcholine on epicardial coronary arteries after cardiac transplantation without angiographic evidence of fixed graft narrowing, 1093

Effects of intracoronary injection of acetylcholine on coronary arterial hemodynamics and diameter, 887

Imaging of coronary arteries by color-coded transesophageal Doppler echocardiography, 639

Left ventricular function after successful percutaneous transluminal coronary angioplasty for postinfarction angina pectoris, 358

One-year psychosocial follow-up of patients with chest pain and angiographically normal coronary arteries, 209

Origin of the left main coronary artery from the pulmonary trunk in the Syrian hamster, 159

Phasic coronary artery flow velocity determined by Doppler flowmeter catheter in aortic stenosis and aortic regurgitation, 917

Transient alterations of the QRS complex and ST segment during percutaneous transluminal balloon angioplasty of the left anterior descending coronary artery, 1038

Ultrasound angioscopy: real-time, two-dimensional, intraluminal ultrasound imaging of blood vessels, 493

Ventricular excitation during percutaneous transluminal angioplasty of the left anterior descending coronary artery, 1116

Coronary artery bypass grafting

See also Surgery

Comparative costs of percutaneous transluminal coronary angioplasty and coronary artery bypass grafting in multivessel coronary artery disease, 809

Dubious reliability of Q-wave formation in predicting new regional left ventricular akinesis after coronary artery bypass grafting, 1299

Morphologic findings in patients undergoing coronary artery bypass grafting for acute myocardial infarction, 144

Risk assessment of coronary artery bypass grafting within one month of acute myocardial infarction, 964

Significance of cardiac weight in patients

having coronary artery bypass grafting for angina pectoris, 36

Coronary artery disease

See also Atherosclerosis

Acquired ventricular septal defect during acute myocardial infarction: analysis of 38 unoperated necropsy patients and comparison with 50 unoperated necropsy patients without rupture, 8

Acute myocardial infarction in diabetes mellitus and significance of congestive heart failure as a prognostic factor, 665

Acute myocardial infarction in women: Influence of gender on mortality and prognostic variables, 1

Altered global myocardial substrate preference at rest and during pacing in coronary artery disease with stable angina pectoris, 686

Amelioration of ischemia during angioplasty of the left anterior descending coronary artery with an autoperfusion catheter, 513

Aminophylline termination of dipyridamole stress as a trigger of coronary vasospasm in variant angina, 694

Angiography morphology in unstable angina pectoris, 1024

Black/white differences in risk factors for arteriographically documented coronary artery disease in men, 214

Circadian variation of ventricular tachycardia in acute myocardial infarction, 670

Clinical safety and efficacy of once-a-day amlodipine for chronic stable angina pectoris, 518

Clinical significance and prognostic importance of left ventricular hypertrophy in non-Q-wave acute myocardial infarction, 1000

Comparative accuracy of clinical tests for diagnosis and prognosis of coronary artery disease, 896

Comparative costs of percutaneous transluminal coronary angioplasty and coronary artery bypass grafting in multivessel coronary artery disease, 809

Comparison of coronary stenosis quantitation results from on-line digital and digitized cine film images, 381

Comparison of Doppler echocardiographic and hemodynamic indexes of left ventricular diastolic properties in coronary artery disease, 882

Comparison of intravenous anisoylated plasminogen streptokinase activator complex and intracoronary streptokinase in acute myocardial infarction, 25

Comparison of left ventricular function and contractile reserve after successful recanalization by thrombolysis versus rescue percutaneous transluminal coronary angioplasty for acute myocardial infarction, 352

Comparison of the duration of action of atenolol and nadolol for treatment of angina pectoris, 1171

Contributions of the Framingham Study to the conquest of coronary artery disease, 1109

Coronary revascularization after intravenous tissue plasminogen activator for unstable angina pectoris: results of a randomized, double-blind, placebo-controlled trial, 368

Correlation of heart rate variability with clinical and angiographic variables and late mortality after coronary angiography, 714

Determinants of primary success in elective percutaneous transluminal coronary angioplasty for significant narrowing of a single major coronary artery, 873

Do different doses of intravenous streptokinase alter the frequency of coronary reperfusion in acute myocardial infarction? 843

Doppler and two-dimensional echocardiographic assessment of left ventricular function before and after intravenous dipyridamole stress testing for detection of coronary artery disease, 1180

Effects of chronic congestive heart failure secondary to coronary artery disease on the circadian rhythm of blood pressure and heart rate, 755

Effects of percutaneous transluminal coronary angioplasty on atherosclerotic plaques and relation of plaque composition and arterial size to outcome, 41

Effects of solid and liquid guar gum on plasma cholesterol and triglyceride concentrations in moderate hypercholesterolemia, 51

Effects of type A behavior counseling and severity of prior acute myocardial infarction on survival, 1159

Electrically induced ventricular arrhythmias in acute myocardial infarction treated with thrombolytic agents, 186

Electrocardiographic estimate of left ventricular mass versus radiographic cardiac size and the risk of cardiovascular disease mortality in the epidemiologic follow-up study of the first national health and nutrition examination survey, 59

Estimating left ventricular ejection fraction after myocardial infarction by various clinical parameters, 192

Estimation of the secretion rate of atrial natriuretic peptide from the coronary sinus in coronary artery disease, 56

Evaluation of left ventricular contractility indexes for the detection of symptomatic and silent myocardial ischemia, 1176

Exercise performance of the high risk acute myocardial infarction patient after cardiac rehabilitation, 197

Factors leading to shorter survival in patients ages 65 to 75 years compared with younger patients after acute myocardial infarction, 860

Family history as an independent risk factor for incident coronary artery disease in a high-risk cohort in Utah, 703

Frequency of angina pectoris and coronary artery disease in severe isolated valvular aortic stenosis, 117

Heart rate adjustment of ST-segment depression for reduction of false positive electrocardiographic responses to exercise in asymptomatic men screened for coronary artery disease, 1043

Hemodynamic and angiographic effects of prostaglandin E₁ in coronary artery disease, 698

SUBJECT INDEX

- HLA-DRw6 antigen linkage in chronic congestive heart failure secondary to coronary artery disease (ischemic cardiomyopathy), 816
- Influence of left ventricular asynchrony on filling in coronary artery disease, 523
- Interpretation of conflicting clinical information by cardiologists, 313
- Left ventricular thrombus formation after first anterior wall acute myocardial infarction, 31
- Location of an acute myocardial infarct in patients with a healed myocardial infarct: analysis of 129 patients studied at necropsy, 1017
- Nuclear magnetic resonance and radionuclide angiographic assessment of acute myocardial infarction in a randomized trial of intravenous streptokinase, 1011
- Occurrence, characteristics and prognostic significance of early postacute myocardial infarction angina pectoris, 679
- Physician perception of exercise electrocardiography as a prognostic test after acute myocardial infarction, 675
- Presentation and late outcome of myocardial infarction in the absence of angiographically significant coronary artery disease, 363
- Prognosis following sustained ventricular tachycardia occurring early after myocardial infarction, 528
- Prognostic significance of ischemic episodes in patients with previous myocardial infarction, 661
- Prospective evaluation of clinical assessment, exercise testing and signal-averaged electrocardiogram in predicting outcome after acute myocardial infarction, 995
- Reduced thiols and the effect of intravenous nitroglycerin on platelet aggregation, 377
- Relation between family history of coronary artery disease and coronary risk variables, 708
- Retransplantation for severe accelerated coronary artery disease in heart transplant recipients, 876
- Reverse and pseudo redistribution of thallium-201 in healed myocardial infarction and normal and negative thallium-201 washout in ischemia due to background oversubtraction, 543
- Risk of developing an acute myocardial infarction or sudden coronary death in patients with exercise-induced silent myocardial ischemia. A report from the Coronary Artery Surgery Study (CASS) registry, 1155
- Rupture of the left ventricular free wall during acute myocardial infarction: analysis of 138 necropsy patients and comparison with 50 necropsy patients with acute myocardial infarction without rupture, 847
- Significance of cardiac weight in patients having coronary artery bypass grafting for angina pectoris, 36
- Six- and twelve-month follow-up of the phase I Thrombolysis In Myocardial Infarction (TIMI) trial, 179
- Survival with painless strongly positive exercise electrocardiogram, 892
- The German Multicenter Trial of anisoylated plasminogen streptokinase activator complex versus heparin for acute myocardial infarction, 347
- Usefulness of a rapid initial increase in plasma creatine kinase activity as a marker of reperfusion during thrombolytic therapy for acute myocardial infarction, 20
- Usefulness of exercise electrocardiography and thallium scintigraphy in unstable angina pectoris in predicting the extent and severity of coronary artery disease, 1164
- Usefulness of the dipyridamole-exercise echocardiography test for diagnosis of coronary artery disease, 67
- Coronary artery occlusion**
Value of the ST-T segment in lead V₄R in inferior wall acute myocardial infarction to predict the site of coronary arterial occlusion, 140
- Coronary Artery Surgery Study (CASS)**
Risk of developing an acute myocardial infarction or sudden coronary death in patients with exercise-induced silent myocardial ischemia. A report from the Coronary Artery Surgery Study (CASS) registry, 1155
- Coronary sinus**
Estimation of the secretion rate of atrial natriuretic peptide from the coronary sinus in coronary artery disease, 56
- The coronary sinus diverticulum: a pathologic entity associated with the Wolff-Parkinson-White syndrome, 733
- Coronary vasospasm**
Aminophylline termination of dipyridamole stress as a trigger of coronary vasospasm in variant angina, 694
- Cost assessment**
Comparative costs of percutaneous transluminal coronary angioplasty and coronary artery bypass grafting in multivessel coronary artery disease, 805
- Creatine kinase**
Relation of peak creatine kinase levels during acute myocardial infarction to presence or absence of previous manifestations of myocardial ischemia (angina pectoris or healed myocardial infarction), 534
- The creatine kinase ratio: a useful means of detecting early peaking of the creatine kinase curve after acute myocardial infarction, 962
- Usefulness of a rapid initial increase in plasma creatine kinase activity as a marker of reperfusion during thrombolytic therapy for acute myocardial infarction, 20
- Cyclosporin A**
Frequency of hypercholesterolemia after cardiac transplantation, 1268
- Cyclosporine**
Left ventricular hypertrophy in cyclosporine-induced systemic hypertension after cardiac transplantation, 1140
- Deep veins**
Deep venous contribution to hydrostatic blood volume change in the human leg, 449
- Defibrillation**
Factors affecting transthoracic impedance during electrical cardioversion, 1048
- Predictors of automatic implantable cardioverter defibrillator discharge for life-threatening ventricular arrhythmias, 83
- Prospective evaluation of initially ineffective defibrillation pulses on subsequent defibrillation success during ventricular fibrillation in survivors of cardiac arrest, 718
- Relation of the intraoperative defibrillation threshold to successful postoperative defibrillation with an automatic implantable cardioverter defibrillator, 393
- The automatic implantable cardioverter defibrillator as antiarrhythmic treatment modality of choice for survivors of cardiac arrest unrelated to acute myocardial infarction, 803
- Defibrillators**
Reversible failure to sense ventricular tachycardia early after surgical implantation of the automatic implantable cardioverter-defibrillator, 833
- The automatic implantable cardioverter defibrillator as antiarrhythmic treatment modality of choice for survivors of cardiac arrest unrelated to acute myocardial infarction, 803
- Denervation**
Complete denervation of the heart in a child with congenital long QT and deafness, 1319
- Direct effect of contrast material on atrioventricular conduction in the denervated human heart, 1321
- Diabetes mellitus**
Acute myocardial infarction in diabetes mellitus and significance of congestive heart failure as a prognostic factor, 665
- Impaired left ventricular systolic function during exercise in middle-aged insulin-dependent and noninsulin-dependent diabetic subjects without clinically evident cardiovascular disease, 1273
- Juvenile diabetes mellitus with 50-year survival, 1144
- Diagnosis**
Comparative accuracy of clinical tests for diagnosis and prognosis of coronary artery disease, 896
- Differentiation of "esophageal" and "cardiac" chest pain, 315
- Interpretation of conflicting clinical information by cardiologists, 313
- Diastole**
Comparison of Doppler echocardiographic and hemodynamic indexes of left ventricular diastolic properties in coronary artery disease, 882
- Dose-dependent use of dobutamine to alter early diastolic filling in normal subjects, 333
- Effect of heart rate alterations produced by atrial pacing on the pattern of diastolic filling in normal subjects, 1098
- Effect of upright exercise on left ventricular diastolic filling in normal subjects, 488
- Pattern of left ventricular diastolic filling associated with right ventricular enlargement, 444
- Diltiazem**
Comparison of combination nifedipine-propranolol and diltiazem-propranolol with high dose diltiazem monotherapy for stable angina pectoris, 1028
- Comparison of diltiazem and hydrochlorothiazide for treatment of

- patients 60 years of age or older with systemic hypertension, 1218
- Effect of intravenous and oral calcium antagonists (diltiazem and verapamil) on sustenance of atrial fibrillation, 403
- Nadolol versus diltiazem and combination for preventing exercise-induced ischemia in severe angina pectoris, 372
- Dipyridamole**
- Aminophylline termination of dipyridamole stress as a trigger of coronary vasospasm in variant angina, 694
- Doppler and two-dimensional echocardiographic assessment of left ventricular function before and after intravenous dipyridamole stress testing for detection of coronary artery disease, 1180
- Simultaneous low level treadmill exercise and intravenous dipyridamole stress thallium imaging, 799
- Usefulness of dipyridamole-thallium-201 perfusion scanning for distinguishing ischemic from nonischemic cardiomyopathy, 945
- Usefulness of the dipyridamole-exercise echocardiography test for diagnosis of coronary artery disease, 67
- Disopyramide**
- Disopyramide in hypertrophic cardiomyopathy II. Hemodynamic assessment after intravenous administration, 1248
- Disopyramide in hypertrophic cardiomyopathy II. Noninvasive assessment after oral administration, 1252
- Oral disopyramide therapy for obstructive hypertrophic cardiomyopathy, 1085
- Dobutamine**
- Dose-dependent use of dobutamine to alter early diastolic filling in normal subjects, 333
- Domperidone**
- Evidence for a dopaminergic control of sympathoadrenal catecholamine release, 627
- Dopexamine**
- Cardiovascular pharmacology of dopexamine in low output congestive heart failure, 94
- Doppler ultrasound**
- See also Echocardiography; M-mode echocardiography; Two-dimensional echocardiography
- Assessment of coronary blood flow by transesophageal two-dimensional pulsed Doppler echocardiography, 641
- Calculating cardiac output from transmitral volume flow using Doppler and M-mode echocardiography, 131
- Evaluation of age, gender, heart rate and blood pressure changes and exercise conditioning on Doppler measured aortic blood flow acceleration and velocity during upright treadmill testing, 439
- Fate of the pulmonic valve after proximal pulmonary artery-to-ascending aorta anastomosis for aortic outflow obstruction, 435
- Imaging of coronary arteries by color-coded transesophageal Doppler echocardiography, 639
- Pattern of left ventricular diastolic filling associated with right ventricular enlargement, 444
- Role of left ventricular function and Doppler-derived variables in predicting hemodynamic benefits of rate-responsive pacing, 906
- Simplified method for estimation of Doppler cardiac output in the great arteries, 155
- Ductus arteriosus**
- Catheter occlusion of the persistently patent ductus arteriosus, 1089
- Echocardiography**
- See also Doppler ultrasound; M-mode echocardiography; Two-dimensional echocardiography
- Age-related changes in aortic and mitral valve thickness: Implications for two-dimensional echocardiography based on an autopsy study of 200 normal human hearts, 424
- Comparison of Doppler echocardiographic and hemodynamic indexes of left ventricular diastolic properties in coronary artery disease, 882
- Comparison of mitral valve dimensions and motion in mitral valve prolapse with severe mitral regurgitation to uncomplicated mitral valve prolapse and to mitral regurgitation without mitral valve prolapse, 257
- Disopyramide in hypertrophic cardiomyopathy II. Noninvasive assessment after oral administration, 1252
- Doppler and two-dimensional echocardiographic assessment of left ventricular function before and after intravenous dipyridamole stress testing for detection of coronary artery disease, 1180
- Doppler echocardiographic evaluation of cardiac performance in infants on prolonged extracorporeal membrane oxygenation, 929
- Doppler echocardiographic predictors of recurrence of atrial fibrillation after cardioversion, 723
- Echocardiographic and anatomic findings in atrioventricular discordance with ventricular arterial concordance, 1256
- Echocardiographic findings in myocarditis, 285
- Imaging of coronary arteries by color-coded transesophageal Doppler echocardiography, 639
- Relation of concentric left ventricular hypertrophy and extracardiac target organ damage to supranormal left ventricular performance in established essential hypertension, 246
- Risk of transesophageal echocardiography in awake patients with cardiac diseases, 337
- Simplified method for estimation of Doppler cardiac output in the great arteries, 155
- Transesophageal echocardiography for assessing cause of hypotension after cardiac surgery, 1142
- Transient atrial dysfunction after conversion of chronic atrial fibrillation to sinus rhythm, 1202
- Usefulness of the dipyridamole-exercise echocardiography test for diagnosis of coronary artery disease, 67
- Visualization of patent foramen ovale by transesophageal color-coded Doppler echocardiography, 837
- Ejection fraction**
- Estimating left ventricular ejection fraction after myocardial infarction by various clinical parameters, 192
- Evaluation of magnetic resonance imaging for determination of left ventricular ejection fraction and comparison with angiography, 628
- Right and left ventricular function during chronic amiodarone therapy, 736
- Elderly patients**
- Clinical and hemodynamic follow-up after percutaneous aortic valvuloplasty in the elderly, 760
- Comparison of diltiazem and hydrochlorothiazide for treatment of patients 60 years of age or older with systemic hypertension, 1218
- Early and long-term results of percutaneous transluminal coronary angioplasty in patients 70 years of age and older with angina pectoris, 959
- Evaluation of the QRS complex on the standard 12-lead electrocardiogram in normal subjects 70 to 79 years of age, 982
- Factors leading to shorter survival in patients ages 65 to 75 years compared with younger patients after acute myocardial infarction, 860
- Familial occurrence of congenital pulmonary arteriovenous fistulas in octogenarian siblings without telangiectasis, 1149
- Influence of age on left ventricular contractility, 1103
- Lack of sustained clinical improvement in an elderly population after percutaneous aortic valvuloplasty, 270
- Prevalence of peripheral arterial disease and its correlation with risk factors for peripheral arterial disease in elderly patients in a long-term health care facility, 644
- Prevalence of postural hypotension in elderly patients in a long-term health care facility, 336
- Usefulness of echocardiographic left ventricular hypertrophy, ventricular tachycardia and complex ventricular arrhythmias in predicting ventricular fibrillation or sudden cardiac death in elderly patients, 1124
- Usefulness of silent myocardial ischemia detected by ambulatory electrocardiographic monitoring in predicting new coronary events in elderly patients, 1295
- Electrical stimulation**
- Long-term arrhythmic outcome in survivors of ventricular fibrillation with absence of inducible ventricular tachycardia, 1213
- Many things are not found in books or journals. . . but some things are! Value of electrophysiologic testing in patients with malignant ventricular arrhythmias, 1292
- Transcutaneous pacing: patient tolerance, strength-interval relations and feasibility for programmed electrical stimulation, 1126
- Electrocardiography**
- Accuracy of the RV₆RV₅ voltage ratio for increased left ventricular mass, 985
- Comprehensive electrocardiographic analysis of acute myocardial infarction by individual and combined waveforms, 465
- Correlation between directly measured

SUBJECT INDEX

- and indirectly estimated sinoatrial conduction time in children, 1197
- Effect of preexisting bundle branch block on the electrocardiographic diagnosis of ventricular tachycardia, 1208
- Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of complete right bundle branch block, 590
- Electrocardiographic estimate of left ventricular mass versus radiographic cardiac size and the risk of cardiovascular disease mortality in the epidemiologic follow-up study of the first national health and nutrition examination survey, 59
- Evaluation of the QRS complex on the standard 12-lead electrocardiogram in normal subjects 70 to 79 years of age, 952
- Heart rate adjustment of ST-segment depression for reduction of false positive electrocardiographic responses to exercise in asymptomatic men screened for coronary artery disease, 1043
- Identification of best electrocardiographic leads for diagnosing left ventricular hypertrophy by statistical analysis of body surface potential maps, 1285
- Improved differentiation of patients with and without ventricular tachycardia by frequency analysis of multiple electrocardiographic leads, 556
- Mechanism of concealed atrial trigeminy, 1147
- Prospective evaluation of clinical assessment, exercise testing and signal-averaged electrocardiogram in predicting outcome after acute myocardial infarction, 995
- Sensitivity and specificity of electrocardiographic criteria for left and right ventricular hypertrophy in morbid obesity, 126
- Serial electrocardiographic changes in idiopathic dilated cardiomyopathy confirmed at necropsy, 276
- Survival with painless strongly positive exercise electrocardiogram, 892
- Usefulness of silent myocardial ischemia detected by ambulatory electrocardiographic monitoring in predicting new coronary events in elderly patients, 1295
- Ventricular excitation during percutaneous transluminal angioplasty of the left anterior descending coronary artery, 1116
- Electrophysiology**
- Adenylate cyclase activity coupled to the stimulatory guanine nucleotide binding protein in patients having electrophysiologic studies and either structurally normal hearts or idiopathic myocardial disease, 1129
- Correlation between directly measured and indirectly estimated sinoatrial conduction time in children, 1197
- Effects of upright posture on atrioventricular nodal reentry and dual atrioventricular nodal pathways, 408
- Electrophysiologic and clinical effects of flecainide for recurrent paroxysmal supraventricular tachycardia, 585
- Long-term prognosis of patients undergoing electrophysiologic studies for syncope of unknown origin, 1186
- Many things are not found in books or journals. . . but some things are! Value of electrophysiologic testing in patients with malignant ventricular arrhythmias, 1292
- The coronary sinus diverticulum: a pathologic entity associated with the Wolff-Parkinson-White syndrome, 733
- Value of electropharmacologic testing in idiopathic dilated cardiomyopathy and sustained ventricular tachyarrhythmias, 611
- Enalaprilat**
- Effect of intravenous enalaprilat in moderate and severe systemic hypertension, 1062
- Encainide**
- Treatment of life-threatening ventricular tachycardia with encainide hydrochloride in patients with left ventricular dysfunction, 571
- Endocardial fibroelastosis**
- Endocardial fibroelastosis is not a disease, 468
- Natural history and prognostic risk factors in endocardial fibroelastosis, 431
- Endomyocardial biopsy**
- Echocardiographic findings in myocarditis, 285
- Enoximone**
- Administration of enoximone in cardiogenic shock, 419
- Entrainment**
- Entrainment of idiopathic ventricular tachycardia of left ventricular origin with evidence for reentry with an area of slow conduction and effect of verapamil, 727
- Epinephrine**
- Effects of epinephrine in patients with an accessory atrioventricular connection treated with quinidine, 580
- Esmolol**
- Safety and efficacy of esmolol for unstable angina pectoris, 1033
- Exercise**
- Cardiovascular response in exercise after the Mustard operation for simple and complex transposition of the great vessels, 617
- Effect of upright exercise on left ventricular diastolic filling in normal subjects, 488
- Left ventricular response to submaximal and maximal exercise in asymptomatic aortic regurgitation, 606
- Noninvasive measurement of the decrease in left ventricular filling time during maximal exercise in normal subjects, 650
- Usefulness of the dipyridamole-exercise echocardiography test for diagnosis of coronary artery disease, 67
- Exercise testing**
- Blood pressure at rest and during maximal dynamic and isometric exercise as predictors of systemic hypertension, 1058
- Changes in left ventricular wall stress during isometric and isotonic exercise in healthy men, 794
- Comparative accuracy of clinical tests for diagnosis and prognosis of coronary artery disease, 896
- Effect of maximal exercise testing on serum cholesterol in healthy subjects undergoing exercise training and on beta-adrenergic blockade, 478
- Evaluation of age, gender, heart rate and blood pressure changes and exercise conditioning on Doppler measured aortic blood flow acceleration and velocity during upright treadmill testing, 439
- Evaluation of left ventricular contractility indexes for the detection of symptomatic and silent myocardial ischemia, 1176
- Exercise performance of the high risk acute myocardial infarction patient after cardiac rehabilitation, 197
- Impaired left ventricular systolic function during exercise in middle-aged insulin-dependent and noninsulin-dependent diabetic subjects without clinically evident cardiovascular disease, 1273
- Left ventricular mass as determined by magnetic resonance imaging in male endurance athletes, 301
- Physician perception of exercise electrocardiography as a prognostic test after acute myocardial infarction, 675
- Physiologic differences in rate-related versus exercise-induced left bundle branch block, 316
- Prospective evaluation of clinical assessment, exercise testing and signal-averaged electrocardiogram in predicting outcome after acute myocardial infarction, 995
- Relation of potassium flux during incremental exercise to exercise intensity, 334
- Simultaneous low level treadmill exercise and intravenous dipyridamole stress thallium imaging, 799
- Survival with painless strongly positive exercise electrocardiogram, 892
- The ventilatory threshold: quantitative analysis of reproducibility and relation to arterial lactate concentration in normal subjects and in patients with chronic congestive heart failure, 100
- Usefulness of exercise electrocardiography and thallium scintigraphy in unstable angina pectoris in predicting the extent and severity of coronary artery disease, 1164
- Usefulness of transcutaneous triggering of conventional implanted pulse generators by an activity-sensing pacemaker for predicting effectiveness of rate response pacing, 901
- Extracorporeal membrane oxygenation**
- Doppler echocardiographic evaluation of cardiac performance in infants on prolonged extracorporeal membrane oxygenation, 929
- Facial pigmentation**
- Spontaneous disappearance of blue-gray facial pigmentation during amiodarone therapy (out of the blue), 1146
- Fetal tachycardia**
- Clinical and electrophysiologic features of fetal and neonatal paroxysmal atrial tachycardia resulting in congestive heart failure, 225
- Fistulas**
- Familial occurrence of congenital pulmonary arteriovenous fistulas in octogenarian siblings without telangiectasis, 1149
- Repeated endomyocardial biopsy causing coronary arterial-right ventricular fistula after cardiac transplantation, 829

Flecainide

- Electrophysiologic and clinical effects of flecainide for recurrent paroxysmal supraventricular tachycardia, 585
- Electrophysiologic effects and clinical efficacy of flecainide in children with recurrent paroxysmal supraventricular tachycardia, 229
- Flecainide for supraventricular and ventricular arrhythmias in children and young adults, 818
- Supraventricular tachycardia mimicking ventricular tachycardia during flecainide treatment, 1303

Flecainide

- Effect of flecainide on ventricular rate during atrial fibrillation in Wolff-Parkinson-White syndrome, 78

Fontan procedure

- Thrombolytic treatment with streptokinase for late intraatrial thrombosis after modified Fontan procedure, 343

Foramen ovale

- Visualization of patent foramen ovale by transesophageal color-coded Doppler echocardiography, 837

Framingham Heart Study

- Contributions of the Framingham Study to the conquest of coronary artery disease, 1109

From the Editor

- Argentina and Argentine cardiology, 167
- Brazil and Brazilian cardiology, 991
- Drug developers and drug dispensers: their dependency on one another, 840
- Factors linking cholesterol to atherosclerotic plaques, 495
- India and Indian cardiology, 1326
- The Friedewald-Levy-Fredrickson formula for calculating low-density lipoprotein cholesterol, the basis for lipid-lowering therapy, 345

Fulguration

- Results of electrical fulguration in arrhythmogenic right ventricular disease, 220

Furosemide

- Effect of intravenous enalaprilat in moderate and severe systemic hypertension, 1062

Gorlin Formula

- Inadequacy of the Gorlin formula for predicting prosthetic valve area, 113

Guanethidine

- Refractory variant angina relieved by guanethidine and clonidine, 832

Guar gum

- Effects of solid and liquid guar gum on plasma cholesterol and triglyceride concentrations in moderate hypercholesterolemia, 51

Heart failure

- Effects of chronic congestive heart failure secondary to coronary artery disease on the circadian rhythm of blood pressure and heart rate, 755

Heart rate

- Correlation of heart rate variability with clinical and angiographic variables and late mortality after coronary angiography, 714
- Effect of heart rate alterations produced by atrial pacing on the pattern of diastolic filling in normal subjects, 1098
- Effects of chronic congestive heart failure secondary to coronary artery disease on the circadian rhythm of blood pressure and heart rate, 755

- Heart rate adjustment of ST-segment depression for reduction of false positive electrocardiographic responses to exercise in asymptomatic men screened for coronary artery disease, 1043

Hemodynamics

- Clinical and noninvasive hemodynamic results after aortic balloon valvuloplasty for aortic stenosis, 1078

- Comparison of Doppler echocardiographic and hemodynamic indexes of left ventricular diastolic properties in coronary artery disease, 882

- Comparison of the effects of pindolol and atenolol on hemodynamic function in systemic hypertension, 413

- Disopyramide in hypertrophic cardiomyopathy I. Hemodynamic assessment after intravenous administration, 1248

- Effects of intracoronary injection of acetylcholine on coronary arterial hemodynamics and diameter, 887

- Hemodynamic and angiographic effects of prostaglandin E₁ in coronary artery disease, 698

- Hemodynamic, humoral and volume findings in systemic hypertension with isolated ventricular septal hypertrophy, 1053

- Immediate and short-term cardiovascular effects of a new converting enzyme inhibitor (lisinopril) in essential hypertension, 912

- Influence of left atrial systolic emptying on left ventricular early filling dynamics by Doppler in patients with sequential atrioventricular pacemakers, 968

- Role of left ventricular function and Doppler-derived variables in predicting hemodynamic benefits of rate-responsive pacing, 906

- Sustained hemodynamic effects with therapeutic doses of intravenous nitroglycerin in congestive heart failure, 319

- Systemic and coronary hemodynamic and neurohumoral effects of levodopa in chronic congestive heart failure, 1228

Heparin

- Heparin bolus therapy during cardiac catheterization, 1314

- The German Multicenter Trial of anisoylated plasminogen streptokinase activator complex versus heparin for acute myocardial infarction, 347

Heredity

- Familial apical hypertrophic cardiomyopathy, 821

- Familial occurrence of congenital pulmonary arteriovenous fistulas in octogenarian siblings without telangiectasis, 1149

- Family history as an independent risk factor for incident coronary artery disease in a high-risk cohort in Utah, 703

- Relation between family history of coronary artery disease and coronary risk variables, 708

Historical studies

- In appreciation of Alfred G. Mayer, 454
- Richard D. Rowe, MD (1923-1988), 957
- Samuel A. Levine and his World War I experience, 952

Holter monitoring

- Polymorphonuclear leukocyte activity and

- ventricular arrhythmia in acute myocardial infarction, 868

Hydrochlorothiazide

- Comparison of diltiazem and hydrochlorothiazide for treatment of patients 60 years of age or older with systemic hypertension, 1218

- Effects of isradipine, a new calcium antagonist, versus hydrochlorothiazide on serum lipids and apolipoproteins in patients with systemic hypertension, 1068

Hypercholesterolemia

- Effects of solid and liquid guar gum on plasma cholesterol and triglyceride concentrations in moderate hypercholesterolemia, 51

- Frequency of hypercholesterolemia after cardiac transplantation, 1268

Hypertension

- See also Blood pressure; Systemic hypertension

- Antihypertensive drug therapy and arrhythmia risk, 147

- Effects of celiprolol on plasma renin, aldosterone, norepinephrine and epinephrine in primary hypertension, 751

- Effects of weight loss on clinic and ambulatory blood pressure in normotensive men, 89

- First dose response and 24-hour antihypertensive efficacy of the new once-daily angiotensin converting enzyme inhibitor, ramipril, 239

- Immediate and short-term cardiovascular effects of a new converting enzyme inhibitor (lisinopril) in essential hypertension, 912

- Left ventricular structural characteristics in unilateral renovascular hypertension and primary aldosteronism, 1224

- Long-term metabolic effects of spironolactone and thiazides combined with potassium-sparing agents for treatment of essential hypertension, 1072

- Myocardial contractility and left ventricular function in obese patients with essential hypertension, 584

- Relation of concentric left ventricular hypertrophy and extracardiac target organ damage to supranormal left ventricular performance in established essential hypertension, 246

Hypertrophic cardiomyopathy

- See also Cardiomyopathy

- Disopyramide in hypertrophic cardiomyopathy I. Hemodynamic assessment after intravenous administration, 1248

- Disopyramide in hypertrophic cardiomyopathy II. Noninvasive assessment after oral administration, 1252

- Oral disopyramide therapy for obstructive hypertrophic cardiomyopathy, 1085

Hypofibrinogenemia

- Do different doses of intravenous streptokinase alter the frequency of coronary reperfusion in acute myocardial infarction? 843

Hypoplastic left-heart syndrome

- Fate of the pulmonary valve after proximal pulmonary artery-to-ascending aorta anastomosis for aortic outflow obstruction, 435

SUBJECT INDEX

Hypotension

- Prevalence of postural hypotension in elderly patients in a long-term health care facility, 336
- Transesophageal echocardiography for assessing cause of hypotension after cardiac surgery, 1142

Idiopathic dilated cardiomyopathy

- Serial electrocardiographic changes in idiopathic dilated cardiomyopathy confirmed at necropsy, 276

Idiopathic myocardial disease

- Adenylate cyclase activity coupled to the stimulatory guanine nucleotide binding protein in patients having electrophysiologic studies and either structurally normal hearts or idiopathic myocardial disease, 1129

Indium-111

- Patterns of evolution of myocyte damage after human heart transplantation detected by Indium-111 monoclonal antimyosin, 623

Infants

- Doppler echocardiographic evaluation of cardiac performance in infants on prolonged extracorporeal membrane oxygenation, 929
- Effect of isolated right ventricular outflow obstruction on left ventricular function in infants, 778

Infundibular hypertrophy

- Regression of infundibular hypertrophy after pulmonary valvuloplasty for pulmonic stenosis, 977

Iodine-123

- Abnormal myocardial fatty acid metabolism in dilated cardiomyopathy detected by Iodine-123 phenylpentadecanoic acid and tomographic imaging, 923

Ischemia

- See also Myocardial ischemia
- Amelioration of ischemia during angioplasty of the left anterior descending coronary artery with an autoperfusion catheter, 513
- Prognostic significance of ischemic episodes in patients with previous myocardial infarction, 661
- Reverse and pseudo redistribution of thallium-201 in healed myocardial infarction and normal and negative thallium-201 washout in ischemia due to background oversubtraction, 543

Isradipine

- Effects of isradipine, a new calcium antagonist, versus hydrochlorothiazide on serum lipids and apolipoproteins in patients with systemic hypertension, 1058

Lactate

- The ventilatory threshold: quantitative analysis of reproducibility and relation to arterial lactate concentration in normal subjects and in patients with chronic congestive heart failure, 100

Lead V₄R

- Value of the ST-T segment in lead V₄R in inferior wall acute myocardial infarction to predict the site of coronary arterial occlusion, 140

Left ventricular dilatation

- Familial hypertrophic cardiomyopathy with left ventricular dilatation and conduction disturbances, 484

Left ventricular function

- See also Ventricular function

- Cardiovascular adaptations to transfusion chelation therapy of homozygote sickle cell anemia, 121

- Changes in left ventricular wall stress during isometric and isotonic exercise in healthy man, 794

- Comparison of Doppler echocardiographic and hemodynamic indexes of left ventricular diastolic properties in coronary artery disease, 882

- Comparison of left ventricular function and contractile reserve after successful recanalization by thrombolysis versus rescue percutaneous transluminal coronary angioplasty for acute myocardial infarction, 352

- Doppler and two-dimensional echocardiographic assessment of left ventricular function before and after intravenous dipyridamole stress testing for detection of coronary artery disease, 1180

- Effect of isolated right ventricular outflow obstruction on left ventricular function in infants, 778

- Effect of upright exercise on left ventricular diastolic filling in normal subjects, 488

- Evaluation of left ventricular contractility indexes for the detection of symptomatic and silent myocardial ischemia, 1176

- Frequency of myocarditis, left ventricular dysfunction and ventricular tachycardia in the acquired immune deficiency syndrome, 789

- Impaired left ventricular systolic function during exercise in middle-aged insulin-dependent and noninsulin-dependent diabetic subjects without clinically evident cardiovascular disease, 1273

- Influence of age on left ventricular contractility, 1103

- Influence of left ventricular asynchrony on filling in coronary artery disease, 523

- Left ventricular function after successful percutaneous transluminal coronary angioplasty for postinfarction angina pectoris, 358

- Left ventricular response to submaximal and maximal exercise in asymptomatic aortic regurgitation, 606

- Myocardial contractility and left ventricular function in obese patients with essential hypertension, 594

- Noninvasive measurement of the decrease in left ventricular filling time during maximal exercise in normal subjects, 650

- Pattern of left ventricular diastolic filling associated with right ventricular enlargement, 444

- Relation of concentric left ventricular hypertrophy and extracardiac target organ damage to supranormal left ventricular performance in established essential hypertension, 246

- Right and left ventricular function during chronic amiodarone therapy, 736

- Role of left ventricular function and Doppler-derived variables in predicting hemodynamic benefits of rate-responsive pacing, 906

- The German Multicenter Trial of anisoylated plasminogen streptokinase activator complex versus heparin for acute myocardial infarction, 347

- Treatment of life-threatening ventricular tachycardia with encainide hydrochloride in patients with left ventricular dysfunction, 571

- Usefulness of ambulatory radionuclide monitoring of left ventricular function early after acute myocardial infarction for predicting residual myocardial ischemia, 1005

Left ventricular hypertrophy

- Cardiac function in systemic hypertension before and after reversal of left ventricular hypertrophy, 745

- Clinical significance and prognostic importance of left ventricular hypertrophy in non-Q-wave acute myocardial infarction, 1000

- Electrocardiographic diagnosis of left ventricular hypertrophy in the presence of complete right bundle branch block, 590

- Hemodynamic, humoral and volume findings in systemic hypertension with isolated ventricular septal hypertrophy, 1053

- Identification of best electrocardiographic leads for diagnosing left ventricular hypertrophy by statistical analysis of body surface potential maps, 1285

- Left ventricular hypertrophy in cyclosporine-induced systemic hypertension after cardiac transplantation, 1140

- Left ventricular structural characteristics in unilateral renovascular hypertension and primary aldosteronism, 1224

- Relation of concentric left ventricular hypertrophy and extracardiac target organ damage to supranormal left ventricular performance in established essential hypertension, 246

- Sensitivity and specificity of electrocardiographic criteria for left and right ventricular hypertrophy in morbid obesity, 126

- Serial electrocardiographic changes in idiopathic dilated cardiomyopathy confirmed at necropsy, 276

- Usefulness of echocardiographic left ventricular hypertrophy, ventricular tachycardia and complex ventricular arrhythmias in predicting ventricular fibrillation or sudden cardiac death in elderly patients, 1124

Left ventricular mass

- Accuracy of the RV₂/RV₃ voltage ratio for increased left ventricular mass, 985

- Electrocardiographic estimate of left ventricular mass versus radiographic cardiac size and the risk of cardiovascular disease mortality in the epidemiologic follow-up study of the first national health and nutrition examination survey, 59

- Left ventricular mass as determined by magnetic resonance imaging in male endurance athletes, 301

Left ventricular mural thrombi

- Impact of thrombolytic therapy on left ventricular mural thrombi in acute myocardial infarction, 310

Left ventricular perfusion

- Relation of left ventricular perfusion and wall motion with metabolic activity in persistent defects on thallium-201 tomography in healed myocardial infarction, 202

Letters to the Editor

- A XII century description of congestive heart failure, 512
- A common link between unstable angina pectoris and acute myocardial infarction, 660
- An echo-dense mass in the pericardial space as a sign of left ventricular free wall rupture during acute myocardial infarction, 173
- Aortic valve replacement in both spouses on the same day, 170
- Art in cardiology, 1153
- Balloon valvuloplasty versus surgical commissurotomy, 1153
- Blood pressure changes above and below the anaerobic threshold, 173
- Cardiac catheterization by nonphysicians, 172
- Correction, 1153
- De-glutition syncope in childhood with complete atrioventricular block, 170
- Diuretics, serum potassium and ventricular arrhythmias, 177
- Do dreams come true? 175
- Echocardiographic criteria for diagnosis of mitral valve prolapse, 841
- Erratum, 841, 1151, 1152
- Final word (?) for the diagnosis of mitral valve prolapse, 512
- Maximal aortic valve pressure gradients by Doppler echocardiography, 1151
- Mitral valve prolapse is not a new disease entity, 660
- Nausea and vomiting during acute myocardial infarction, 178
- New electrocardiographic criteria for right ventricular hypertrophy: a correction for the 1986 study, 512
- Nifedipine versus isosorbide dinitrate for angina pectoris, 178
- Nonperpetual death, 170
- Pregnancy following percutaneous transluminal angioplasty, 1152
- Q-wave regression after transmural acute myocardial infarction, 1152
- The cardioprotective effects of tricyclic antidepressants, 170
- The case of the incorrect magnet, 171
- The origin of specious, 175
- Tissue plasminogen activator and selective coronary vasodilation, 173
- TWEedledum, 1152
- Use of fentanyl acetate in the treatment of supraventricular tachyarrhythmias, 171
- Value of programmed ventricular stimulation from the right ventricular outflow tract, 1152
- Variability in plasma cholesterol assays: the object that defeats the goal, 841
- Leukocytes**
- Polymorphonuclear leukocyte activity and ventricular arrhythmia in acute myocardial infarction, 868
- Levine, Samuel A.**
- Samuel A. Levine and his World War I experience, 952
- Levodopa**
- Systemic and coronary hemodynamic and neurohumoral effects of levodopa in chronic congestive heart failure, 1228
- Lipoprotein**
- Effects of solid and liquid guar gum on plasma cholesterol and triglyceride concentrations in moderate hypercholesterolemia, 51
- Lisinopril**

Immediate and short-term cardiovascular effects of a new converting enzyme inhibitor (lisinopril) in essential hypertension, 912

Magnetic resonance imaging

- Deep venous contribution to hydrostatic blood volume change in the human leg, 449
- Detection of abnormal calf muscle metabolism in patients with heart failure using phosphorus-31 nuclear magnetic resonance, 1234
- Evaluation of magnetic resonance imaging for determination of left ventricular ejection fraction and comparison with angiography, 628
- Left ventricular mass as determined by magnetic resonance imaging in male endurance athletes, 301
- Magnetic resonance imaging of prosthetic cardiac valves in vitro and in vivo, 973
- Nuclear magnetic resonance and radionuclide angiographic assessment of acute myocardial infarction in a randomized trial of intravenous streptokinase, 1011

Mapping

- Identification of best electrocardiographic leads for diagnosing left ventricular hypertrophy by statistical analysis of body surface potential maps, 1285

Mayer, Alfred G.

- In appreciation of Alfred G. Mayer, 454

Medical records

- Book-burning in our medical libraries: prevention or palliation? 458

Men

- Black/white differences in risk factors for arteriographically documented coronary artery disease in men, 214
- Changes in left ventricular wall stress during isometric and isotonic exercise in healthy men, 794
- Effects of weight loss on clinic and ambulatory blood pressure in normotensive men, 89
- Heart rate adjustment of ST-segment depression for reduction of false positive electrocardiographic responses to exercise in asymptomatic men screened for coronary artery disease, 1043
- Left ventricular mass as determined by magnetic resonance imaging in male endurance athletes, 301

Metabolism

- Abnormal myocardial fatty acid metabolism in dilated cardiomyopathy detected by iodine-123 phenylpentadecanoic acid and tomographic imaging, 923
- Altered global myocardial substrate preference at rest and during pacing in coronary artery disease with stable angina pectoris, 686
- Detection of abnormal calf muscle metabolism in patients with heart failure using phosphorus-31 nuclear magnetic resonance, 1234
- Relation of left ventricular perfusion and wall motion with metabolic activity in persistent defects on thallium-201 tomography in healed myocardial infarction, 202

Methodology

- Objective reality, 1113

Mitral regurgitation

- Comparison of mitral valve dimensions

and motion in mitral valve prolapse with severe mitral regurgitation to uncomplicated mitral valve prolapse and to mitral regurgitation without mitral valve prolapse, 257

- Usefulness of onset of the pulmonary wedge V wave in predicting mitral regurgitation, 646

Mitral valve

- Age-related changes in aortic and mitral valve thickness: implications for two-dimensional echocardiography based on an autopsy study of 200 normal human hearts, 424
- Calculating cardiac output from transmitral volume flow using Doppler and M-mode echocardiography, 131
- Mechanism of mitral valve area increase by in vitro single and double balloon mitral valvotomy, 264

Mitral valve prolapse

- Comparison of mitral valve dimensions and motion in mitral valve prolapse with severe mitral regurgitation to uncomplicated mitral valve prolapse and to mitral regurgitation without mitral valve prolapse, 257
- Lack of association between acute myocardial infarction and mitral valve prolapse, 1297
- Prevalence of atrial septal aneurysm in patients with mitral valve prolapse, 1139

Mitral valvuloplasty

- Applicability of mitral valvuloplasty techniques in a North American population, 253

M-mode echocardiography

- See also Doppler ultrasound; Echocardiography; Two-dimensional echocardiography
- Calculating cardiac output from transmitral volume flow using Doppler and M-mode echocardiography, 131

Morphine

- Comparison of nalbuphine hydrochloride versus morphine sulfate for acute myocardial infarction with elevated pulmonary artery wedge pressure, 551

Morphology

- Angiography morphology in unstable angina pectoris, 1024

Multicenter studies

- Frequency of normal coronary arteriograms in three academic medical centers and one community hospital, 472

Mustard operation

- Cardiovascular response in exercise after the Mustard operation for simple and complex transposition of the great vessels, 617
- Successful pregnancy after the Mustard operation for transposition of the great arteries, 838

Myocardial infarction

- See also Acute myocardial infarction
- Dependence of assessment of coronary artery reperfusion during acute myocardial infarction on angiographic criteria and interobserver variability, 538
- Do different doses of intravenous streptokinase alter the frequency of coronary reperfusion in acute myocardial infarction? 843
- Evaluation of a QRS scoring system for estimating myocardial infarct size. VII:

SUBJECT INDEX

- Specificity in a control group with right ventricular hypertrophy due to mitral stenosis, 322
- Frequency of acute and healed myocardial infarcts in fatal cardiac amyloidosis, 1134
- Left ventricular function after successful percutaneous transluminal coronary angioplasty for postinfarction angina pectoris, 358
- Major circadian fluctuations in fibrinolytic factors and possible relevance to time of onset of myocardial infarction, sudden cardiac death and stroke, 635
- Presentation and late outcome of myocardial infarction in the absence of angiographically significant coronary artery disease, 363
- Prognosis following sustained ventricular tachycardia occurring early after myocardial infarction, 528
- Prognostic significance of ischemic episodes in patients with previous myocardial infarction, 661
- Relation of left ventricular perfusion and wall motion with metabolic activity in persistent defects on thallium-201 tomography in healed myocardial infarction, 202
- Relation of peak creatine kinase levels during acute myocardial infarction to presence or absence of previous manifestations of myocardial ischemia (angina pectoris or healed myocardial infarction), 534
- Reverse and pseudo redistribution of thallium-201 in healed myocardial infarction and normal and negative thallium-201 washout in ischemia due to background oversubtraction, 543
- Myocardial ischemia**
See also Ischemia
Clinical safety and efficacy of once-a-day amlodipine for chronic stable angina pectoris, 518
Evaluation of left ventricular contractility indexes for the detection of symptomatic and silent myocardial ischemia, 1176
Relation of peak creatine kinase levels during acute myocardial infarction to presence or absence of previous manifestations of myocardial ischemia (angina pectoris or healed myocardial infarction), 534
Risk of developing an acute myocardial infarction or sudden coronary death in patients with exercise-induced silent myocardial ischemia. A report from the Coronary Artery Surgery Study (CASS) registry, 1155
Usefulness of ambulatory radionuclide monitoring of left ventricular function early after acute myocardial infarction for predicting residual myocardial ischemia, 1005
Usefulness of silent myocardial ischemia detected by ambulatory electrocardiographic monitoring in predicting new coronary events in elderly patients, 1295
- Myocarditis**
Echocardiographic findings in myocarditis, 285
Frequency of myocarditis, left ventricular dysfunction and ventricular tachycardia in the acquired immune deficiency syndrome, 789
- Myocarditis diagnosed by endomyocardial biopsy in human immunodeficiency virus infection with cardiac dysfunction, 658
- Successful management of acute myocarditis with biventricular assist devices and cardiac transplantation, 341
- Myocyte damage**
Patterns of evolution of myocyte damage after human heart transplantation detected by indium-111 monoclonal antimyosin, 623
- Nadolol**
Comparison of the duration of action of atenolol and nadolol for treatment of angina pectoris, 1171
Nadolol versus diltiazem and combination for preventing exercise-induced ischemia in severe angina pectoris, 372
- Nalbuphine**
Comparison of nalbuphine hydrochloride versus morphine sulfate for acute myocardial infarction with elevated pulmonary artery wedge pressure, 551
- National health and nutrition examination survey, first**
Electrocardiographic estimate of left ventricular mass versus radiographic cardiac size and the risk of cardiovascular disease mortality in the epidemiologic follow-up study of the first national health and nutrition examination survey, 59
- Necropsy studies**
Anomalous origin of either the right or left main coronary artery from the aorta with subsequent coursing between aorta and pulmonary trunk: analysis of 32 necropsy cases, 771
Location of an acute myocardial infarct in patients with a healed myocardial infarct: analysis of 129 patients studied at necropsy, 1017
Rupture of the left ventricular free wall during acute myocardial infarction: analysis of 138 necropsy patients and comparison with 50 necropsy patients with acute myocardial infarction without rupture, 847
- Neonatal tachycardia**
Clinical and electrophysiologic features of fetal and neonatal paroxysmal atrial tachycardia resulting in congestive heart failure, 225
- Neurohormones**
Spontaneous neurohormonal fluctuation in chronic congestive heart failure, 150
- Neuroticism**
One-year psychosocial follow-up of patients with chest pain and angiographically normal coronary arteries, 209
- Nifedipine**
Comparison of combination nifedipine-propranolol and diltiazem-propranolol with high dose diltiazem monotherapy for stable angina pectoris, 1028
- Nitroglycerin**
Reduced thiols and the effect of intravenous nitroglycerin on platelet aggregation, 377
Sustained hemodynamic effects with therapeutic doses of intravenous nitroglycerin in congestive heart failure, 319
- Non-Q-wave infarction**
Clinical significance and prognostic importance of left ventricular hypertrophy in non-Q-wave acute myocardial infarction, 1000
- Obesity**
Effects of weight loss on clinic and ambulatory blood pressure in normotensive men, 89
Myocardial contractility and left ventricular function in obese patients with essential hypertension, 594
Sensitivity and specificity of electrocardiographic criteria for left and right ventricular hypertrophy in morbid obesity, 126
- Occlusion**
Catheter occlusion of the persistently patent ductus arteriosus, 1089
Deep venous contribution to hydrostatic blood volume change in the human leg, 449
Results of low speed rotational angioplasty for chronic peripheral occlusions, 935
- Pacemakers**
Influence of left atrial systolic emptying on left ventricular early filling dynamics by Doppler in patients with sequential atrioventricular pacemakers, 968
Role of left ventricular function and Doppler-derived variables in predicting hemodynamic benefits of rate-responsive pacing, 906
Usefulness of transcutaneous triggering of conventional implanted pulse generators by an activity-sensing pacemaker for predicting effectiveness of rate response pacing, 901
Use of balloon flotation pacing catheters for prophylactic temporary pacing during diagnostic and therapeutic catheterization procedures, 941
- Pacing**
Altered global myocardial substrate preference at rest and during pacing in coronary artery disease with stable angina pectoris, 686
Cardiac pacing practices in the United States in 1985, 71
Effect of catheter ablation of the atrioventricular junction on quality of life and exercise tolerance in paroxysmal atrial fibrillation, 741
Effect of heart rate alterations produced by atrial pacing on the pattern of diastolic filling in normal subjects, 1098
Effect of pacing cycle length and autonomic blockade on sinus node refractoriness, 1192
Role of left ventricular function and Doppler-derived variables in predicting hemodynamic benefits of rate-responsive pacing, 906
Role of transesophageal pacing in evaluation of palpitations in children and adolescents, 566
Transcutaneous pacing: patient tolerance, strength-interval relations and feasibility for programmed electrical stimulation, 1126
Usefulness of transcutaneous triggering of conventional implanted pulse generators by an activity-sensing pacemaker for predicting effectiveness of rate response pacing, 901
Use of balloon flotation pacing catheters for prophylactic temporary pacing during diagnostic and therapeutic catheterization procedures, 941

- Palpitations**
Role of transesophageal pacing in evaluation of palpitations in children and adolescents, 566
- Papaverine**
Serious ventricular dysrhythmias after intracoronary papaverine, 1301
- Parasympathetic tone**
Temporary decrease in cardiac parasympathetic tone after acute myocardial infarction, 637
- Parasyctole**
Circadian variabilities of modulated ventricular parasyctole, 653
Double ventricular parasyctole with modulation and intermittency, 655
- Pathology**
Applicability of mitral valvuloplasty techniques in a North American population, 253
- Pericardial Inflammation**
Release of atrial natriuretic factor following pericardiectomy for chronic constrictive pericarditis, 1323
- Peripheral arteries**
Prevalence of peripheral arterial disease and its correlation with risk factors for peripheral arterial disease in elderly patients in a long-term health care facility, 644
Ultrasound angioscopy: real-time, two-dimensional, intraluminal ultrasound imaging of blood vessels, 493
- Phosphorus-31**
Detection of abnormal calf muscle metabolism in patients with heart failure using phosphorus-31 nuclear magnetic resonance, 1234
- Pindolol**
Comparison of the effects of pindolol and atenolol on hemodynamic function in systemic hypertension, 413
- Platelets**
Reduced thiols and the effect of intravenous nitroglycerin on platelet aggregation, 377
- Plethysmography**
Deep venous contribution to hydrostatic blood volume change in the human leg, 449
- Position**
Effects of supine and lateral positions on cardiac output and intracardiac pressures, 330
- Potassium**
Relation of potassium flux during incremental exercise to exercise intensity, 334
- Potassium-sparing agents**
Long-term metabolic effects of spironolactone and thiazides combined with potassium-sparing agents for treatment of essential hypertension, 1072
- Preservation of books**
Book-burning in our medical libraries: prevention or palliation? 458
- Proarrhythmia**
Treatment of life-threatening ventricular tachycardia with encainide hydrochloride in patients with left ventricular dysfunction, 571
- Prognosis**
Acute myocardial infarction in diabetes mellitus and significance of congestive heart failure as a prognostic factor, 665
Acute myocardial infarction in women: influence of gender on mortality and prognostic variables, 1
Blood pressure at rest and during maximal dynamic and isometric exercise as predictors of systemic hypertension, 1058
Clinical significance and prognostic importance of left ventricular hypertrophy in non-Q-wave acute myocardial infarction, 1000
Comparative accuracy of clinical tests for diagnosis and prognosis of coronary artery disease, 896
Correlation of heart rate variability with clinical and angiographic variables and late mortality after coronary angiography, 714
Effects of type A behavior counseling and severity of prior acute myocardial infarction on survival, 1159
Evaluation of left ventricular contractility indexes for the detection of symptomatic and silent myocardial ischemia, 1176
Long-term prognosis of patients undergoing electrophysiologic studies for syncope of unknown origin, 1186
Natural history and prognostic risk factors in endocardial fibroelastosis, 431
Occurrence, characteristics and prognostic significance of early postacute myocardial infarction angina pectoris, 679
Penny wise, 806
Physician perception of exercise electrocardiography as a prognostic test after acute myocardial infarction, 675
Prognosis following sustained ventricular tachycardia occurring early after myocardial infarction, 528
Prognostic significance of ischemic episodes in patients with previous myocardial infarction, 661
Prospective evaluation of clinical assessment, exercise testing and signal-averaged electrocardiogram in predicting outcome after acute myocardial infarction, 995
Survival with painless strongly positive exercise electrocardiogram, 892
Usefulness of ambulatory radionuclide monitoring of left ventricular function early after acute myocardial infarction for predicting residual myocardial ischemia, 1005
Usefulness of echocardiographic left ventricular hypertrophy, ventricular tachycardia and complex ventricular arrhythmias in predicting ventricular fibrillation or sudden cardiac death in elderly patients, 1124
Usefulness of exercise electrocardiography and thallium scintigraphy in unstable angina pectoris in predicting the extent and severity of coronary artery disease, 1164
Usefulness of onset of the pulmonary wedge V wave in predicting mitral regurgitation, 646
- Propafenone**
Symptomatic sinus node dysfunction associated with the use of propafenone, 480
- Prophylaxis**
Initial experience with coronary angioplasty and aortic valvuloplasty using elective semipercutaneous cardiopulmonary support, 811
- Use of balloon flotation pacing catheters for prophylactic temporary pacing during diagnostic and therapeutic catheterization procedures, 941
- Propranolol**
Comparison of combination nifedipine-propranolol and diltiazem-propranolol with high dose diltiazem monotherapy for stable angina pectoris, 1028
- Prostaglandin E₁**
Hemodynamic and angiographic effects of prostaglandin E₁ in coronary artery disease, 698
- Pulmonary artery pressure**
Comparison of nalbuphine hydrochloride versus morphine sulfate for acute myocardial infarction with elevated pulmonary artery wedge pressure, 551
Estimation of the secretion rate of atrial natriuretic peptide from the coronary sinus in coronary artery disease, 56
Saline contrast enhancement of trivial Doppler tricuspid regurgitation signals for estimating pulmonary artery pressure, 486
Usefulness of onset of the pulmonary wedge V wave in predicting mitral regurgitation, 646
- Pulmonary atresia**
Cervical collateral arteries in pulmonary atresia with ventricular septal defect, 1310
- Pulmonary edema**
Transient unilateral pulmonary edema after successful balloon dilation of peripheral pulmonary artery stenosis, 327
- Pulmonary hypertension**
Functional tricuspid regurgitation and right ventricular dysfunction in pulmonary hypertension, 108
- Pulmonary stenosis**
Causes of restenosis after balloon valvuloplasty for valvular pulmonary stenosis, 979
Percutaneous double balloon pulmonary valvotomy in adults: one- to two-year follow-up, 822
Regression of infundibular hypertrophy after pulmonary valvuloplasty for pulmonic stenosis, 977
Transient unilateral pulmonary edema after successful balloon dilation of peripheral pulmonary artery stenosis, 327
- Pulmonary valve**
Fate of the pulmonic valve after proximal pulmonary artery-to-ascending aorta anastomosis for aortic outflow obstruction, 435
- Pulmonary veins**
Morphologic features of stenosis of the pulmonary veins, 1136
- Pulmonary venous connection**
Gross and histologic anatomy of total anomalous pulmonary venous connections, 292
- QRS complex**
Evaluation of a QRS scoring system for estimating myocardial infarct size. VII: Specificity in a control group with right ventricular hypertrophy due to mitral stenosis, 322
Evaluation of the QRS complex on the standard 12-lead electrocardiogram in normal subjects 70 to 79 years of age, 982
Transient alterations of the QRS complex

SUBJECT INDEX

- and ST segment during percutaneous transluminal balloon angioplasty of the left anterior descending coronary artery, 1038
- QT interval**
Complete denervation of the heart in a child with congenital long QT and deafness, 1319
- Quinidine**
Effects of epinephrine in patients with an accessory atrioventricular connection treated with quinidine, 580
- Q wave**
Dubious reliability of Q-wave formation in predicting new regional left ventricular akinesis after coronary artery bypass grafting, 1299
- Racial factors**
Black/white differences in risk factors for arteriographically documented coronary artery disease in men, 214
- Radionuclide angiography**
Left ventricular response to submaximal and maximal exercise in asymptomatic aortic regurgitation, 606
Nuclear magnetic resonance and radionuclide angiographic assessment of acute myocardial infarction in a randomized trial of intravenous streptokinase, 1011
- Radionuclide ventriculography**
Usefulness of ambulatory radionuclide monitoring of left ventricular function early after acute myocardial infarction for predicting residual myocardial ischemia, 1005
- Ramipril**
First dose response and 24-hour antihypertensive efficacy of the new once-daily angiotensin converting enzyme inhibitor, ramipril, 239
- Renal function**
Cardiovascular pharmacology of doxexamine in low output congestive heart failure, 94
- Reperfusion**
Dependence of assessment of coronary artery reperfusion during acute myocardial infarction on angiographic criteria and interobserver variability, 538
Do different doses of intravenous streptokinase alter the frequency of coronary reperfusion in acute myocardial infarction? 843
Usefulness of a rapid initial increase in plasma creatine kinase activity as a marker of reperfusion during thrombolytic therapy for acute myocardial infarction, 20
- Restenosis**
Causes of restenosis after balloon valvuloplasty for valvular pulmonary stenosis, 979
Long-term follow-up and influence of symptom-free interval on restenosis after repeat percutaneous transluminal coronary angioplasty, 476
Long-term outcome of patients with asymptomatic restenosis after percutaneous transluminal coronary angioplasty, 1298
- Right ventricular hypertrophy**
Evaluation of a QRS scoring system for estimating myocardial infarct size. VII: Specificity in a control group with right ventricular hypertrophy due to mitral stenosis, 322
Pattern of left ventricular diastolic filling associated with right ventricular enlargement, 444
Sensitivity and specificity of electrocardiographic criteria for left and right ventricular hypertrophy in morbid obesity, 126
- Risk assessment**
Penny wise, 806
Prevalence of peripheral arterial disease and its correlation with risk factors for peripheral arterial disease in elderly patients in a long-term health care facility, 644
Risk assessment of coronary artery bypass grafting within one month of acute myocardial infarction, 964
Risk of developing an acute myocardial infarction or sudden coronary death in patients with exercise-induced silent myocardial ischemia. A report from the Coronary Artery Surgery Study (CASS) registry, 1155
Risk of transesophageal echocardiography in awake patients with cardiac diseases, 337
- Risk factors**
Natural history and prognostic risk factors in endocardial fibroelastosis, 431
Relation between family history of coronary artery disease and coronary risk variables, 708
- Rowe, Richard D.**
Richard D. Rowe, MD (1923-1988), 957
- Septal perforator artery**
Isolated obstruction of large septal perforators, 142
- Sickle cell anemia**
Cardiovascular adaptations to transfusion chelation therapy of homozygote sickle cell anemia, 121
- Signal averaging**
Improved differentiation of patients with and without ventricular tachycardia by frequency analysis of multiple electrocardiographic leads, 556
- Sinus node**
Effect of pacing cycle length and autonomic blockade on sinus node refractoriness, 1192
Symptomatic sinus node dysfunction associated with the use of propafenone, 480
- Sinus rhythm**
Transient atrial dysfunction after conversion of chronic atrial fibrillation to sinus rhythm, 1202
- Smoking**
Presentation and late outcome of myocardial infarction in the absence of angiographically significant coronary artery disease, 363
- Sotalol**
Sotalol for refractory sustained ventricular tachycardia and nonfatal cardiac arrest, 399
- Spirolactone**
Long-term metabolic effects of spironolactone and thiazides combined with potassium-sparing agents for treatment of essential hypertension, 1072
- Stenosis**
See also Aortic stenosis
Comparison of coronary stenosis quantitation results from on-line digital and digitized cine film images, 381
Determinants of primary success in elective percutaneous transluminal coronary angioplasty for significant narrowing of a single major coronary artery, 873
Development of severe stenosis in a previously purely regurgitant, congenitally bicuspid aortic valve, 988
Inadequacy of the Gorlin formula for predicting prosthetic valve area, 113
Morphologic features of stenosis of the pulmonary veins, 1136
Renal artery stenosis in heart failure, 1307
- Steroids**
Acute myocardial infarction in a 22-year-old world class weight lifter using anabolic steroids, 164
- Streptokinase**
Comparison of intravenous anisoylated plasminogen streptokinase activator complex and intracoronary streptokinase in acute myocardial infarction, 25
Do different doses of intravenous streptokinase alter the frequency of coronary reperfusion in acute myocardial infarction? 843
Electrically induced ventricular arrhythmias in acute myocardial infarction treated with thrombolytic agents, 186
Nuclear magnetic resonance and radionuclide angiographic assessment of acute myocardial infarction in a randomized trial of intravenous streptokinase, 1011
Six- and twelve-month follow-up of the phase I Thrombolysis in Myocardial Infarction (TIMI) trial, 179
Thrombolytic treatment with streptokinase for late intraatrial thrombosis after modified Fontan procedure, 343
- Stroke**
Major circadian fluctuations in fibrinolytic factors and possible relevance to time of onset of myocardial infarction, sudden cardiac death and stroke, 635
- ST segment**
Heart rate adjustment of ST-segment depression for reduction of false positive electrocardiographic responses to exercise in asymptomatic men screened for coronary artery disease, 1043
Transient alterations of the QRS complex and ST segment during percutaneous transluminal balloon angioplasty of the left anterior descending coronary artery, 1038
- ST-T segment**
Value of the ST-T segment in lead V₄R in inferior wall acute myocardial infarction to predict the site of coronary arterial occlusion, 140
- Sudden cardiac death**
Major circadian fluctuations in fibrinolytic factors and possible relevance to time of onset of myocardial infarction, sudden cardiac death and stroke, 635
- Supraventricular tachycardia**
Electrophysiologic and clinical effects of flecainide for recurrent paroxysmal supraventricular tachycardia, 585
Physiologic changes during supraventricular tachycardia and release of atrial natriuretic peptide, 576
Supraventricular tachycardia mimicking ventricular tachycardia during flecainide treatment, 1303

Surgery

See also Coronary artery bypass grafting
Applicability of mitral valvuloplasty techniques in a North American population, 253

Echocardiographic and anatomic findings in atrioventricular discordance with ventriculoarterial concordance, 1256

Mode of late failure of the low-profile (Liotta) porcine bioprosthesis in the mitral position, 1132

Palliation of valvular aortic stenosis by balloon valvuloplasty as preoperative preparation for non-cardiac surgery, 1309

Results of simultaneous replacement of one left-sided cardiac valve with a mechanical prosthesis and the other left-sided valve with a bioprosthesis, 1130

Transesophageal echocardiography for assessing cause of hypotension after cardiac surgery, 1142

Survival factors

Effects of type A behavior counseling and severity of prior acute myocardial infarction on survival, 1159

Factors leading to shorter survival in patients ages 65 to 75 years compared with younger patients after acute myocardial infarction, 860

Symposium: Advances in Congestive Heart Failure

Appendix: monitoring methods, considerations, and statement of the Cooperative North Scandinavian Enalapril Survival Study (CONSENSUS) Ethical Review Committee, 73A

Arrhythmias, catecholamines and electrolytes, 55A

Atrial natriuretic peptide in congestive heart failure, 20A

Cardiopulmonary exercise testing in congestive heart failure, 35A

Causes of symptoms in chronic congestive heart failure and implications for treatment, 31A

Cellular mechanisms in congestive heart failure, 3A

Discussion, 81A

Effect of drug therapy on survival in chronic congestive heart failure, 41A

Effects of enalapril on mortality in severe congestive heart failure: results of the Cooperative North Scandinavian Enalapril Survival Study (CONSENSUS), 50A

Importance of right ventricular function in congestive heart failure, 14A

Introduction, 1A

Neuroendocrine manifestations of congestive heart failure, 9A

Prognosis of congestive heart failure and predictors of mortality, 25A

Tolerability of enalapril in congestive heart failure, 67A

Vasodilator therapy in chronic congestive heart failure, 46A

When and how to use angiotensin-converting enzyme inhibition in congestive heart failure, 75A

Symposium: Calcium, the Cardiovascular System and the Kidney

Automated blood pressure monitoring for the assessment of antihypertensive treatment, 97G

Cardioprotective effects of diltiazem when given before, during or delayed after

infusion of norepinephrine in anesthetized dogs, 25G

Catecholamines, calcium and cardiomyopathy, 20G

Cell biology of vascular hypertrophy in systemic hypertension, 30G

Comparison of the effects of calcium antagonists and converting enzyme inhibitors on renal function under normal and hypertensive conditions, 59G

Determinants of antihypertensive response to calcium antagonists in systemic hypertension, 92G

Diltiazem and captopril alone or in combination for treatment of mild to moderate systemic hypertension, 103G

Diltiazem in hypertensive patients with type II diabetes mellitus, 114G

Effects of calcium antagonists on deranged modulation of the renal function curve in salt-sensitive patients with essential hypertension, 85G

Effects of calcium on renin and aldosterone, 41G

Emerging issues in the cellular biology of the cardiovascular system, 7G

Endothelium-derived relaxing factor release associated with increased endothelial cell inositol triphosphate and intracellular calcium, 36G

Function of the hypertensive kidney during calcium flux manipulation, 74G

Hemodynamic comparison of diltiazem and TA-3090 in spontaneously hypertensive and normal Wistar-Kyoto rats, 79G

Introduction, 1G

Mechanisms of hypertensive glomerular injury, 54G

Mechanisms of the vascular effect of pressor hormones, 47G

Metabolic effects of antihypertensive therapy with a calcium antagonist, 109G

Receptors for calcium antagonists, 3G

Renal hemodynamic effects of a selected calcium antagonist, 69G

Role of proto-oncogenes in myocardial hypertrophy, 13G

Symposium: Clinical Evaluation of Response to Antiarrhythmic Therapy

Discussion, 46H

Electrophysiologic evaluation of antiarrhythmic therapy for ventricular tachyarrhythmias, 39H

Evaluation of antiarrhythmic therapy using Holter monitoring, 18H

Initial dosage selection of antiarrhythmic therapy, 2H

Introduction, 1H

Role of plasma concentration monitoring in the evaluation of response to antiarrhythmic drugs, 9H

Role of the electrocardiogram in determining electrophysiologic end points of drug therapy, 34H

The role of exercise testing in evaluation of arrhythmias, 24H

Symposium: Focus on Congestive Heart Failure

An introduction to the pharmacologic properties of dopacard (dopexamine hydrochloride), 9C

Changes in regional blood flow distribution induced by infusions of dopexamine hydrochloride or dobutamine in anesthetized dogs, 30C

Clinical development of dopexamine hydrochloride (dopacard) and an overview of its hemodynamic effects, 41C

Current therapeutic principles in the acute management of severe heart failure, 4C

Dopexamine hydrochloride after coronary artery bypass grafting, 78C

Dopexamine hydrochloride in chronic congestive heart failure with improved cardiac performance without increased metabolic cost, 57C

Effect of dopexamine hydrochloride in the early stages of experimental myocardial infarction and comparison with dopamine and dobutamine, 18C

Hemodynamic comparison of dopexamine hydrochloride and dopamine in ischemic left ventricular dysfunction, 73C

Hemodynamic effects of dopexamine hydrochloride infusions of 48 to 72 hours' duration for severe congestive heart failure, 83C

Inotropic, vascular and neuroendocrine effects of dopexamine hydrochloride and comparison with dobutamine, 63C

Introduction, 1C

Relative significance of dopamine receptors, beta adrenoceptors and norepinephrine uptake inhibition in the cardiovascular actions of dopexamine hydrochloride, 37C

Renal hemodynamic effects of dopexamine hydrochloride, 53C

Role of the beta₂ adrenoceptor in mediating positive inotropic activity in the failing heart and its relation to the hemodynamic actions of dopexamine, 46C

The functional importance of beta₁ and beta₂ adrenoceptors in the human heart, 24C

Use of dopexamine hydrochloride in intensive care patients with low-output left ventricular heart failure, 68C

Symposium: HMG CoA Reductase Inhibitors—A New Therapeutic Class

Comparison between lovastatin and gemfibrozil in the treatment of primary hypercholesterolemia: the Finnish Multicenter Study, 35J

Discovery, biochemistry and biology of lovastatin, 10J

Efficacy and long-term adverse effect pattern of lovastatin, 26J

Preclinical evaluation of lovastatin, 16J

Therapeutic control of hyperlipidemia in the prevention of coronary atherosclerosis: a review of results from recent clinical trials, 1J

Treatment of dyslipidemia in non-insulin-dependent diabetes mellitus with lovastatin, 44J

Symposium: Hypercholesterolemia

Changes in high-density lipoprotein subfraction distribution and increased cholesteryl ester transfer after probucol, 73B

Development of femoral atherosclerosis in hypercholesterolemic patients during treatment with cholestyramine and probucol/placebo: Probucol Quantitative Regression Swedish Trial (PQRST): a status report, 37B

Effect of probucol on development of diabetes mellitus in BB rats, 27B

Effect of probucol on macrophages,

SUBJECT INDEX

- leading to regression of xanthomas and atheromatous vascular lesions, 31B
- Increased levels of messenger ribonucleic acid for apolipoprotein E in the spleen of probucol-treated rabbits, 60B
- Inhibition by probucol of Interleukin 1 secretion and its implication in atherosclerosis, 77B
- Introduction—the probucol experience: a review of the past and a look at the future, 1B
- In vivo inhibition of foam cell development by probucol in Watanabe rabbits, 6B
- Lipoprotein oxidation and cytotoxicity: effect of probucol on streptozotocin-treated rats, 20B
- Prevention of atherosclerotic progression in Watanabe rabbits by probucol, 13B
- Probucol enhances cholesterol efflux from cultured human skin fibroblasts, 57B
- Probucol enhances cholesterol transport in cultured rat hepatocytes, 52B
- Probucol, high-density lipoprotein metabolism and reverse cholesterol transport, 48B
- Probucol Quantitative Regression Swedish Trial: new angiographic technique to measure atheroma volume of the femoral artery, 44B
- Selective reduction of cholesterol in HDL₂ fraction by probucol in familial hypercholesterolemia and hyperHDL₂ cholesterolmia with abnormal cholesteryl ester transfer, 66B
- Symposium: International Symposium on Supraventricular Arrhythmias—Focus on Flecainide**
 - Antiarrhythmic strategies for the chronic management of supraventricular tachycardias, 1D
 - Clinical behavior of paroxysmal atrial tachycardia, 3D
 - Concluding discussion, 67D
 - Efficacy and safety of class IC antiarrhythmic agents for the treatment of coexisting supraventricular and ventricular tachycardia, 44D
 - Flecainide acetate for treatment of bypass tract mediated reentrant tachycardia, 23D
 - Flecainide for supraventricular tachycardia in children, 41D
 - Intravenous flecainide acetate for supraventricular tachycardias, 16D
 - Long-term efficacy and safety of flecainide for supraventricular tachycardia, 56D
 - Mechanisms of supraventricular tachycardia, 10D
 - Oral flecainide for prophylaxis of paroxysmal atrial fibrillation, 35D
 - Restoration of sinus rhythm with flecainide in patients with atrial fibrillation, 38D
 - Summary of efficacy and safety of flecainide for supraventricular arrhythmias, 62D
 - Treatment of atrial tachyarrhythmias and preexcitation syndrome with flecainide acetate, 29D
- Symposium: Interventional Cardiology at a Crossroad—Diagnostics and Therapeutics**
 - Coronary angiography: a decade of advances, 7K
 - General discussion, 28K
 - Intravenous streptokinase in acute myocardial infarction at the community hospital: a six-year experience, 25K
 - Introduction, 1K
 - Percutaneous transluminal coronary angioplasty: the second decade, 2K
 - Primary percutaneous coronary angioplasty: a protagonist's view, 15K
 - The Maryland experience: angioplasty and valvuloplasty using percutaneous cardiopulmonary support, 11K
 - The uncertain role of thrombolytic angioplasty within the treatment strategy for myocardial infarction, 21K
- Symposium: Recent Approaches in Evaluation and Management of Ventricular Arrhythmias**
 - Combination antiarrhythmic therapy for management of malignant ventricular arrhythmia, 18I
 - Introduction, 1I
 - Quinidine: an update on therapeutics, pharmacokinetics and serum concentration monitoring, 22I
 - Relation of silent myocardial ischemia to ventricular arrhythmias and sudden death, 24I
 - Role of invasive electrophysiologic testing in the management of life-threatening ventricular arrhythmias, 13I
 - Sudden cardiac death, 3I
 - Values and limitations of programmed stimulation and ambulatory monitoring in the management of ventricular tachycardia, 7I
- Symposium: Regional Blood Flow in Congestive Heart Failure**
 - Alterations of skeletal muscle metabolism in humans studied by phosphorus 31 magnetic resonance spectroscopy in congestive heart failure, 53E
 - Capacity of blood flow delivery to exercising skeletal muscle in humans, 30E
 - Consideration of conduit and resistance vessels in regulation of blood flow, 40E
 - Contributions of neuroendocrine and local autocrine-paracrine mechanisms to the pathophysiology and pharmacology of congestive heart failure, 76E
 - Control of renal perfusion and function in congestive heart failure, 72E
 - Direct and indirect assessment of skeletal muscle blood flow in chronic congestive heart failure, 36E
 - Distribution of blood flow in the muscles of conscious animals during exercise, 9E
 - Effect of conditioning and deconditioning stimuli on metabolically determined blood flow in humans and implications for congestive heart failure, 45E
 - Effects of dynamic exercise training on the metabolic and cardiocirculatory responses to exercise in the rat model of myocardial infarction and heart failure, 20E
 - Effects of vasodilators on the coronary circulation in congestive heart failure, 99E
 - Influence of enoximone and UDCG-115 on coronary hemodynamics in idiopathic dilated cardiomyopathy, 104E
 - Introduction, 1E
 - Measurement of skeletal muscle blood flow in humans: plethysmographic, bolus and continuous infusion technique, 25E
 - Onset of blood lactate accumulation exercise capacity, skeletal muscle fibers and metabolism before and after coronary artery bypass grafting, 108E
- Peripheral adaptations to low blood flow in muscle during exercise, 15E
- Physiology of the renal baroreceptor mechanism of renin release and its role in congestive heart failure, 68E
- Pressor reflex response to static muscular contraction: its afferent arm and possible neurotransmitters, 58E
- Reduced subendocardial myocardial perfusion as one mechanism for congestive heart failure, 94E
- Regional blood flow in congestive heart failure: concept of compensatory mechanisms with short and long time constants, 2E
- Regional blood flow, muscle strength and skeletal muscle histology in severe congestive heart failure, 49E
- Regional blood flow responses to vasodilators and inotropes in congestive heart failure, 86E
- Skeletal muscle blood flow, metabolism and morphology in chronic congestive heart failure and effects of short- and long-term angiotensin-converting enzyme inhibition, 82E
- Vascular sympathetic nerve function in congestive heart failure, 63E
- Syncope**
 - Long-term prognosis of patients undergoing electrophysiologic studies for syncope of unknown origin, 1186
- Syndrome X**
 - Verapamil versus acebutolol for syndrome X, 312
- Systemic hypertension**
 - See also Blood pressure; Hypertension
 - Alterations in myocardial thallium-201 distribution in patients with chronic systemic hypertension undergoing single-photon emission computed tomography, 234
 - Blood pressure at rest and during maximal dynamic and isometric exercise as predictors of systemic hypertension, 105B
 - Cardiac function in systemic hypertension before and after reversal of left ventricular hypertrophy, 745
 - Comparison of diltiazem and hydrochlorothiazide for treatment of patients 60 years of age or older with systemic hypertension, 1218
 - Comparison of the effects of pindolol and atenolol on hemodynamic function in systemic hypertension, 413
 - Effect of intravenous enalaprilat in moderate and severe systemic hypertension, 1062
 - Effects of isradipine, a new calcium antagonist, versus hydrochlorothiazide on serum lipids and apolipoproteins in patients with systemic hypertension, 105B
 - Hemodynamic, humoral and volume findings in systemic hypertension with isolated ventricular septal hypertrophy, 1053
- Systole**
 - Impaired left ventricular systolic function during exercise in middle-aged insulin-dependent and noninsulin-dependent diabetic subjects without clinically evident cardiovascular disease, 1273
 - Influence of age on left ventricular contractility, 1103
 - Influence of left atrial systolic emptying on

- left ventricular early filling dynamics by Doppler in patients with sequential atrioventricular pacemakers, 968
- Tachycardia**
See also Ventricular tachycardia
Clinical and electrophysiologic features of fetal and neonatal paroxysmal atrial tachycardia resulting in congestive heart failure, 225
Electrophysiologic effects and clinical efficacy of flecainide in children with recurrent paroxysmal supraventricular tachycardia, 229
Sustained atrial fibrillation after conversion of paroxysmal reciprocating junctional tachycardia by intravenous verapamil, 835
- Taurine**
Evidence for a taurine-deficiency cardiomyopathy, 136
- Thallium-201**
Alterations in myocardial thallium-201 distribution in patients with chronic systemic hypertension undergoing single-photon emission computed tomography, 234
Relation of left ventricular perfusion and wall motion with metabolic activity in persistent defects on thallium-201 tomography in healed myocardial infarction, 202
Reverse and pseudo redistribution of thallium-201 in healed myocardial infarction and normal and negative thallium-201 washout in ischemia due to background overabstraction, 543
Simultaneous low level treadmill exercise and intravenous dipyridamole stress thallium imaging, 799
Usefulness of dipyridamole-thallium-201 perfusion scanning for distinguishing ischemic from nonischemic cardiomyopathy, 945
Usefulness of exercise electrocardiography and thallium scintigraphy in unstable angina pectoris in predicting the extent and severity of coronary artery disease, 1164
- Thiazides**
Long-term metabolic effects of spironolactone and thiazides combined with potassium-sparing agents for treatment of essential hypertension, 1072
- Thiols**
Reduced thiols and the effect of intravenous nitroglycerin on platelet aggregation, 377
- Thrombolysis**
Comparison of left ventricular function and contractile reserve after successful recanalization by thrombolysis versus rescue percutaneous transluminal coronary angioplasty for acute myocardial infarction, 352
Coronary revascularization after intravenous tissue plasminogen activator for unstable angina pectoris: results of a randomized, double-blind, placebo-controlled trial, 368
Dependence of assessment of coronary artery reperfusion during acute myocardial infarction on angiographic criteria and interobserver variability, 538
Impact of thrombolytic therapy on left ventricular mural thrombi in acute myocardial infarction, 310
Thrombolytic treatment with streptokinase for late intraatrial thrombosis after modified Fontan procedure, 343
Usefulness of a rapid initial increase in plasma creatine kinase activity as a marker of reperfusion during thrombolytic therapy for acute myocardial infarction, 20
- Thrombolysis in Myocardial Infarction (TIMI) trial**
Six- and twelve-month follow-up of the phase I Thrombolysis in Myocardial Infarction (TIMI) trial, 179
- Thrombus**
Left ventricular thrombus formation after first anterior wall acute myocardial infarction, 31
Percutaneous transluminal coronary angioplasty in patients with intracoronary thrombus, 474
Presentation and late outcome of myocardial infarction in the absence of angiographically significant coronary artery disease, 363
- Tissue plasminogen**
Coronary revascularization after intravenous tissue plasminogen activator for unstable angina pectoris: results of a randomized, double-blind, placebo-controlled trial, 368
Electrically induced ventricular arrhythmias in acute myocardial infarction treated with thrombolytic agents, 186
Six- and twelve-month follow-up of the phase I Thrombolysis in Myocardial Infarction (TIMI) trial, 179
- Tomography**
Abnormal myocardial fatty acid metabolism in dilated cardiomyopathy detected by iodine-123 phenylpentadecanoic acid and tomographic imaging, 923
Alterations in myocardial thallium-201 distribution in patients with chronic systemic hypertension undergoing single-photon emission computed tomography, 234
Relation of left ventricular perfusion and wall motion with metabolic activity in persistent defects on thallium-201 tomography in healed myocardial infarction, 202
- Toxicity**
Fatal postoperative amiodarone pulmonary toxicity, 490
- Transposition of the great arteries**
Successful pregnancy after the Mustard operation for transposition of the great arteries, 838
- Transposition of the great vessels**
Cardiovascular response in exercise after the Mustard operation for simple and complex transposition of the great vessels, 617
- Transthoracic impedance**
Factors affecting transthoracic impedance during electrical cardioversion, 1048
- Tricuspid regurgitation**
Functional tricuspid regurgitation and right ventricular dysfunction in pulmonary hypertension, 108
Saline contrast enhancement of trivial Doppler tricuspid regurgitation signals for estimating pulmonary artery pressure, 486
- Triglycerides**
Elevation of serum total cholesterol and triglyceride levels during amiodarone therapy, 562
- Two-dimensional echocardiography**
See also Doppler ultrasound;
Echocardiography; M-mode echocardiography
Assessment of coronary blood flow by transesophageal two-dimensional pulsed Doppler echocardiography, 641
Experience rounding with a hand-held two-dimensional cardiac ultrasound device, 157
- Ultrasound angioscopy**
Ultrasound angioscopy: real-time, two-dimensional, intraluminal ultrasound imaging of blood vessels, 493
- Ultrastructural studies**
Ultrastructural features of familial cardiomyopathy, 325
- Upright posture**
Effects of upright posture on atrioventricular nodal reentry and dual atrioventricular nodal pathways, 406
- Valve prostheses**
Inadequacy of the Gorlin formula for predicting prosthetic valve area, 113
Magnetic resonance imaging of prosthetic cardiac valves in vitro and in vivo, 973
Mode of late failure of the low-profile (Liotta) porcine bioprosthesis in the mitral position, 1132
Results of simultaneous replacement of one left-sided cardiac valve with a mechanical prosthesis and the other left-sided valve with a bioprosthesis, 1130
- Valvular heart disease**
Clinical and hemodynamic follow-up after percutaneous aortic valvuloplasty in the elderly, 760
Role of right and left atrial dimensions for release of atrial natriuretic peptide in left-sided valvular heart disease and idiopathic dilated cardiomyopathy, 764
- Valvuloplasty**
Clinical and noninvasive hemodynamic results after aortic balloon valvuloplasty for aortic stenosis, 1078
Initial experience with coronary angioplasty and aortic valvuloplasty using elective semipercutaneous cardiopulmonary support, 811
Insights on the mechanism of balloon valvuloplasty in aortic stenosis, 1241
Palliation of valvular aortic stenosis by balloon valvuloplasty as preoperative preparation for non-cardiac surgery, 1309
Regression of infundibular hypertrophy after pulmonary valvuloplasty for pulmonic stenosis, 977
- Variant angina**
See also Angina pectoris
Aminophylline termination of dipyridamole stress as a trigger of coronary vasospasm in variant angina, 694
Refractory variant angina relieved by guanethidine and clonidine, 832
- Ventilation**
The ventilatory threshold: quantitative analysis of reproducibility and relation to arterial lactate concentration in normal subjects and in patients with chronic congestive heart failure, 100
- Ventricular arrhythmia**
See also Antiarrhythmic therapy;
Arrhythmia; Ventricular tachyarrhythmia
Antiarrhythmic drug therapy 1988: for

SUBJECT INDEX

- whom, how and where? 461
- Electrically induced ventricular arrhythmias in acute myocardial infarction treated with thrombolytic agents, 186
- Flecainide for supraventricular and ventricular arrhythmias in children and young adults, 818
- Many things are not found in books or journals. . .but some things are! Value of electrophysiologic testing in patients with malignant ventricular arrhythmias, 1292
- Polymorphonuclear leukocyte activity and ventricular arrhythmia in acute myocardial infarction, 868
- Predictors of automatic implantable cardioverter defibrillator discharge for life-threatening ventricular arrhythmias, 83
- Usefulness of echocardiographic left ventricular hypertrophy, ventricular tachycardia and complex ventricular arrhythmias in predicting ventricular fibrillation or sudden cardiac death in elderly patients, 1124
- Ventricular dysrhythmia**
 Serious ventricular dysrhythmias after intracoronary papaverine, 1301
- Ventricular excitation**
 Ventricular excitation during percutaneous transluminal angioplasty of the left anterior descending coronary artery, 1116
- Ventricular fibrillation**
 Long-term arrhythmic outcome in survivors of ventricular fibrillation with absence of inducible ventricular tachycardia, 1213
- Prospective evaluation of initially ineffective defibrillation pulses on subsequent defibrillation success during ventricular fibrillation in survivors of cardiac arrest, 718
- Relation of the intraoperative defibrillation threshold to successful postoperative defibrillation with an automatic implantable cardioverter defibrillator, 393
- Ventricular function**
 See also Left ventricular function
 Effect of fletolol on ventricular rate during atrial fibrillation in Wolff-Parkinson-White syndrome, 78
- Functional tricuspid regurgitation and right ventricular dysfunction in pulmonary hypertension, 108
- Right and left ventricular function during chronic amiodarone therapy, 736
- Ventricular septal defect**
 Acquired ventricular septal defect during acute myocardial infarction: analysis of 38 unoperated necropsy patients and comparison with 50 unoperated necropsy patients without rupture, 8
- Cervical collateral arteries in pulmonary atresia with ventricular septal defect, 1310
- Ventricular tachyarrhythmia**
 See also Antiarrhythmic therapy;
 Arrhythmia; Ventricular arrhythmia
 Value of electropharmacologic testing in idiopathic dilated cardiomyopathy and sustained ventricular tachyarrhythmias, 611
- Ventricular tachycardia**
 See also Tachycardia
 Circadian variation of ventricular tachycardia in acute myocardial infarction, 870
- Effect of preexisting bundle branch block on the electrocardiographic diagnosis of ventricular tachycardia, 1208
- Entrainment of idiopathic ventricular tachycardia of left ventricular origin with evidence for reentry with an area of slow conduction and effect of verapamil, 727
- Frequency of myocarditis, left ventricular dysfunction and ventricular tachycardia in the acquired immune deficiency syndrome, 789
- General anesthesia for intractable ventricular tachycardia, 1318
- Improved differentiation of patients with and without ventricular tachycardia by frequency analysis of multiple electrocardiographic leads, 556
- Induction of ventricular tachycardia in patients with left ventricular aneurysms and no history of arrhythmia, 814
- Long-term arrhythmic outcome in survivors of ventricular fibrillation with absence of inducible ventricular tachycardia, 1213
- Prognosis following sustained ventricular tachycardia occurring early after myocardial infarction, 528
- Results of electrical fulguration in arrhythmogenic right ventricular disease, 220
- Reversible failure to sense ventricular tachycardia early after surgical implantation of the automatic implantable cardioverter-defibrillator, 833
- Sotalol for refractory sustained ventricular tachycardia and nonfatal cardiac arrest, 399
- Supraventricular tachycardia mimicking ventricular tachycardia during flecainide treatment, 1303
- Termination of tachycardias by interrupting blood flow to the arrhythmogenic area, 387
- Treatment of life-threatening ventricular tachycardia with encainide hydrochloride in patients with left ventricular dysfunction, 571
- Usefulness of echocardiographic left ventricular hypertrophy, ventricular tachycardia and complex ventricular arrhythmias in predicting ventricular fibrillation or sudden cardiac death in elderly patients, 1124
- Ventricular wall**
 Changes in left ventricular wall stress during isometric and isotonic exercise in healthy men, 794
- Rupture of the left ventricular free wall during acute myocardial infarction: analysis of 138 necropsy patients and comparison with 50 necropsy patients with acute myocardial infarction without rupture, 847
- Verapamil**
 Effect of intravenous and oral calcium antagonists (diltiazem and verapamil) on sustenance of atrial fibrillation, 403
- Entrainment of idiopathic ventricular tachycardia of left ventricular origin with evidence for reentry with an area of slow conduction and effect of verapamil, 727
- Sustained atrial fibrillation after conversion of paroxysmal reciprocating junctional tachycardia by intravenous verapamil, 835
- Verapamil versus acebutolol for syndrome X, 312
- Wall motion**
 Relation of left ventricular perfusion and wall motion with metabolic activity in persistent defects on thallium-201 tomography in healed myocardial infarction, 202
- Wolff-Parkinson-White syndrome**
 Effect of fletolol on ventricular rate during atrial fibrillation in Wolff-Parkinson-White syndrome, 78
- Effects of epinephrine in patients with an accessory atrioventricular connection treated with quinidine, 580
- The coronary sinus diverticulum: a pathologic entity associated with the Wolff-Parkinson-White syndrome, 733
- Women**
 Acute myocardial infarction in women: influence of gender on mortality and prognostic variables, 1

